



Fourth Geometric Arithmetic Index of Polycyclic Aromatic Hydrocarbons (PAH_k)

Muhammad Kamran Jamil¹, Mohammad Reza Farahani^{2*}, M.R. Rajesh Kanna³

¹Department of Mathematics, Riphah Institute of Computing and Applied Sciences (RICAS), Riphah International University, Lahore, Pakistan

²Department of Applied Mathematics of Iran University of Science and Technology (IUST), Narmak, Tehran 16844, Iran.

³Department of Mathematics, Maharani's Science College for Women, Mysore- 570005. India .

Abstract The *geometric-arithmetic* index of a graph G is defined as $GA(G) = \sum_{uv \in E(G)} \frac{2\sqrt{d(u)d(v)}}{d(u) + d(v)}$.

Recently, *Ghorbani* et. al. introduced the eccentric version of the geometric-arithmetic index as

$GA_4(G) = \sum_{uv \in E(G)} \frac{2\sqrt{\varepsilon(u)\varepsilon(v)}}{\varepsilon(u) + \varepsilon(v)}$, where $\varepsilon(u)$ is the *eccentricity* of the vertex u . In this paper, we

compute the *fourth geometric-version* of Polycyclic aromatic hydrocarbons (PAH_k).

Keywords Geometric-arithmetic, Topological indices, Zagreb indices, Polycyclic Aromatic Hydrocarbons

Introduction

Let $G(V, E)$ be a graph, where V and E represent the *vertex set* and *edge set*, respectively. The *degree* of a vertex v in a graph G is the number of vertices adjacent with v and denoted as $d(v)$. The *maximum degree* in a graph G is denoted as $\Delta(G)$ and the *minimum degree* as $\delta(G)$. A vertex with degree 1 is called a *pendent vertex*. The *distance* between u and v in a graph G is the length of the shortest path between them denoted as $d(u, v)$ and the *eccentricity* of a vertex v is the largest distance between v and any other vertex u of G i.e. $\varepsilon(v) = \text{Max}\{d(v, u) \mid \forall u \in V(G)\}$. Among the eccentricity over all vertices of G the minimum and maximum are called the *radius* and *diameter* of G .

Topological indices are the numerical value associated with chemical constitution professes for correlation of chemical structure with various physical properties, chemical and biological activity. The topological index of a molecule is a non-empirical numerical quantity that quantifies the structure and the branching pattern of molecule. There are hundreds of degree based and distance based topological indices have been introduced up to now.

The *Zagreb indices* have been introduced more than thirty years ago by *Gutman* and *Trinajstić* [1]. They are defined as:

$$M_1(G) = \sum_{v \in V(G)} d(v)^2$$

$$M_2(G) = \sum_{uv \in E(G)} d(u) \times d(v)$$

The *geometric-arithmetic* index of a graph G , $GA(G)$, proposed by *Vukivević* and *Furtula* [2] as:



$$GA(G) = \sum_{uv \in E(G)} \frac{2\sqrt{d(u)d(v)}}{d(u) + d(v)}$$

In 2010, M. Ghorbani and A. Khaki [3] defined the eccentric version of geometric-arithmetic index named as *geometric-arithmetic eccentricity* index and defined as

$$GA_4(G) = \sum_{uv \in E(G)} \frac{2\sqrt{\varepsilon(u)\varepsilon(v)}}{\varepsilon(u) + \varepsilon(v)}$$

For history and more results about the geometric-arithmetic indices reader may see [4-10].




Figure 1: First few members of Polycyclic aromatic hydrocarbons (PAH_k).

Polycyclic Aromatic Hydrocarbons (PAH_k) discussed here is a family of hydrocarbon molecules, which consists of several copies of benzene on circumference and is ubiquitous combustion products. They are of interest as molecular analogues of graphite as candidates for interstellar species and as building blocks of functional materials for device applications. This can be thought as small pieces of graphene sheets with the free valences of the dangling bonds saturated by Hydrogen. Figure 1 shows first few members of this family and Figure 2 is its general representation. Further information can be found in [11-16].




Figure 2: The general representation of Polycyclic aromatic hydrocarbons (PAH_k).



Results

In this section, we computed the fourth version of geometric-arithmetic index of Polycyclic aromatic hydrocarbons (PAH_k). We used the ring cut method to divide the vertices of this structure. In ring cut method, all vertices of G are partitioned and we insert some vertices of G in a common ring-cut, such that these vertices have similar mathematical properties [17,18].

Theorem 1: Let the Polycyclic aromatic hydrocarbon (PAH_k), then the fourth geometric-arithmetic index of PAH_k is given as

$$GA_4(PAH_k) = 12 \sum_{i=1}^k \left[\frac{2(i-1)\sqrt{(2k+2i-1)(2k+2i-2)}}{4k+4i-3} + \frac{i\sqrt{(2k+2i-1)(2k+2i)}}{4k+4i-1} + \frac{\sqrt{(4k+1)(2k+2i)}}{6k+2i+1} \right]$$

Proof: We denote the pendent vertices by α and the vertices of degree three by β and γ . So the vertex set is $V(PAH_n) = \{ \alpha_{z,l}^i, \beta_{z,l}^i, \gamma_{z,j}^i \mid l=1, \dots, k, j \in \mathbb{Z}_i \text{ \& \ } l \in \mathbb{Z}_{i-1} \text{ \& \ } z \in \mathbb{Z}_6 \}$ and $E(PAH_n) = \{ \alpha_{z,j}^k \gamma_{z,j}^k, \beta_{z,j}^i \gamma_{z,j}^i, \beta_{z,j}^i \gamma_{z,j+1}^i, \beta_{z,j}^i \gamma_{z,j}^{i-1} \text{ \& \ } \gamma_{z,i}^i \gamma_{z+1,i}^i \mid i \in \mathbb{Z}_k \text{ \& \ } j \in \mathbb{Z}_i \text{ \& \ } z \in \mathbb{Z}_6 \}$ (Figure 3), where $\mathbb{Z}_i = \{1, 2, \dots, i\}$ is the cycle finite group of order i . We split the vertices in some ring cut partitions, such that i^{th} ring cut contain $6i+6(i-1)$. All vertices of same ring cut have same eccentricity and $d(\gamma_{z,j}^i, \gamma_{z,j}^k) = d(\beta_{z,l}^i, \beta_{z,l}^k) = 2(k-i)$. From the references [19-22] and Figure 3 we have the following information:




Figure 3: A vertex wise representation of polycyclic aromatic hydrocarbons PAH_k .

- I. For all vertices $\alpha_{z,j}$ (hydrogen (H) atoms) of PAH_n ($\square j=1, \dots, k; z=1, \dots, 6$)



$$\varepsilon(\alpha_{z,j}) = \underbrace{d(\alpha_{z,j}, \gamma_{z,j}^k)}_1 + \underbrace{d(\gamma_{z,j}^k, \gamma_{z',j'}^k)}_{4k-1} + \underbrace{d(\gamma_{z',j'}^k, \alpha_{z',j'})}_1 = 4k+1$$

II. For all vertices $\beta_{z,j}^i$ of PAH_k ($\forall i=1, \dots, k; z \in \mathbb{Z}_6, j \in \mathbb{Z}_{i-1}$)

$$\varepsilon(\beta_{z,j}^i) = \underbrace{d(\beta_{z,j}^i, \beta_{z+3,j}^i)}_{4i-3} + \underbrace{d(\beta_{z+3,j}^i, \gamma_{z+3,j}^k)}_{2(k-i)+1} + \underbrace{d(\gamma_{z+3,j}^k, \alpha_{z+3,j})}_1 = 2k+2i-1$$

III. For all vertices $\gamma_{z,j}^i$ of PAH_n ($\forall i=1, \dots, k; z \in \mathbb{Z}_6, j \in \mathbb{Z}_i$)

$$\varepsilon(\gamma_{z,j}^i) = \underbrace{d(\gamma_{z,j}^i, \gamma_{z+3,j}^i)}_{4i-1} + \underbrace{d(\gamma_{z+3,j}^i, \gamma_{z+3,j}^k)}_{2(k-i)} + \underbrace{d(\gamma_{z+3,j}^k, \alpha_{z+3,j})}_1 = 2(k+i)$$

To obtain the final result, we apply this information on the definition of fourth geometric-arithmetic index

$$\begin{aligned} GA_4(PAH_k) &= \sum_{uv \in E(G)} \frac{2\sqrt{\varepsilon(u)\varepsilon(v)}}{\varepsilon(u) + \varepsilon(v)} \\ &= \left(\sum_{\beta_{z,j}^i, \gamma_{z,j}^i \in E(PAH_k)} \frac{2\sqrt{\varepsilon(\beta_{z,j}^i)\varepsilon(\gamma_{z,j}^i)}}{\varepsilon(\beta_{z,j}^i) + \varepsilon(\gamma_{z,j}^i)} \right) + \left(\sum_{\beta_{z,j}^i, \gamma_{z,j+1}^i \in E(PAH_k)} \frac{2\sqrt{\varepsilon(\beta_{z,j}^i)\varepsilon(\gamma_{z,j+1}^i)}}{\varepsilon(\beta_{z,j}^i) + \varepsilon(\gamma_{z,j+1}^i)} \right) + \\ &+ \left(\sum_{\beta_{z,j}^i, \gamma_{z,j}^{i-1} \in E(PAH_k)} \frac{2\sqrt{\varepsilon(\beta_{z,j}^{i+1})\varepsilon(\gamma_{z,j}^{i-1})}}{\varepsilon(\beta_{z,j}^{i+1}) + \varepsilon(\gamma_{z,j}^{i-1})} \right) + \left(\sum_{\gamma_{z,j}^i, \gamma_{z+1,1}^i \in E(PAH_k)} \frac{2\sqrt{\varepsilon(\gamma_{z,i}^i)\varepsilon(\gamma_{z+1,1}^i)}}{\varepsilon(\gamma_{z,i}^i) + \varepsilon(\gamma_{z+1,1}^i)} \right) + \\ &+ \left(\sum_{\alpha_{z,j}, \gamma_{z,j}^k \in E(G)} \frac{2\sqrt{\varepsilon(\alpha_{z,j})\varepsilon(\gamma_{z,j}^k)}}{\varepsilon(\alpha_{z,j}) + \varepsilon(\gamma_{z,j}^k)} \right) \\ &= \sum_{z=1}^6 \left(\sum_{i=2}^k \sum_{j=1}^i \frac{2\sqrt{\varepsilon(\beta_{z,j}^i)\varepsilon(\gamma_{z,j}^i)}}{\varepsilon(\beta_{z,j}^i) + \varepsilon(\gamma_{z,j}^i)} \right) + \sum_{z=1}^6 \left(\sum_{i=2}^k \sum_{j=1}^i \frac{2\sqrt{\varepsilon(\beta_{z,j}^i)\varepsilon(\gamma_{z,j+1}^i)}}{\varepsilon(\beta_{z,j}^i) + \varepsilon(\gamma_{z,j+1}^i)} \right) \\ &+ \sum_{z=1}^6 \left(\sum_{i=2}^k \sum_{j=1}^i \frac{2\sqrt{\varepsilon(\beta_{z,j}^{i+1})\varepsilon(\gamma_{z,j}^{i-1})}}{\varepsilon(\beta_{z,j}^{i+1}) + \varepsilon(\gamma_{z,j}^{i-1})} \right) + \sum_{z=1}^6 \left(\sum_{i=2}^k \frac{2\sqrt{\varepsilon(\gamma_{z,i}^i)\varepsilon(\gamma_{z+1,1}^i)}}{\varepsilon(\gamma_{z,i}^i) + \varepsilon(\gamma_{z+1,1}^i)} \right) \\ &+ \sum_{z=1}^6 \left(\sum_{i=1}^k \frac{2\sqrt{\varepsilon(\alpha_{z,j})\varepsilon(\gamma_{z,j}^k)}}{\varepsilon(\alpha_{z,j}) + \varepsilon(\gamma_{z,j}^k)} \right) \\ &= \sum_{i=2}^k 6(i-1) \left[\frac{2\sqrt{(2k+2i-1)(2k+2i-2)}}{(2k+2i-1) + (2k+2i-2)} \right] + \sum_{i=2}^k 6(i-1) \left[\frac{2\sqrt{(2k+2i-1)(2k+2i-2)}}{(2k+2i-1) + (2k+2i-2)} \right] + \end{aligned}$$



$$\begin{aligned}
& + \sum_{i=1}^k 6i \left[\frac{2\sqrt{(2k+2i-1)(2k+2i)}}{(2k+2i-1)+(2k+2i)} \right] + \sum_{i=1}^k 6 \left[\frac{2\sqrt{(2k+2i-1)(2k+2i-1)}}{(2k+2i-1)+(2k+2i-1)} \right] \\
& + \sum_{i=1}^k 6 \left[\frac{2\sqrt{(4k+1)(2k+2i)}}{(4k+1)+(2k+2i)} \right] \\
& = \sum_{i=2}^k 24(i-1) \left[\frac{\sqrt{(2k+2i-1)(2k+2i-2)}}{4k+4i-3} \right] + \sum_{i=1}^k 12i \left[\frac{\sqrt{(2k+2i-1)(2k+2i)}}{4k+4i-1} \right] + \\
& \sum_{i=1}^k 12 \left[\frac{\sqrt{(4k+1)(2k+2i)}}{6k+2i+1} \right] + \sum_{i=1}^k 6 \\
& = 12 \sum_{i=1}^k \left[\frac{2(i-1)\sqrt{(2k+2i-1)(2k+2i-2)}}{4k+4i-3} + \frac{i\sqrt{(2k+2i-1)(2k+2i)}}{4k+4i-1} + \frac{\sqrt{(4k+1)(2k+2i)}}{6k+2i+1} \right] + 6k
\end{aligned}$$

So, the proof is complete. ■

References

1. Gutman, I., & Trinajstić, N. (1972). Graph theory and molecular orbitals. Total ϕ -electron energy of alternant hydrocarbons. *Chemical Physics Letters*, 17(4), 535-538.
2. Vukičević, D., & Furtula, B. (2009). Topological index based on the ratios of geometrical and arithmetical means of end-vertex degrees of edges. *Journal of mathematical chemistry*, 46(4), 1369-1376.
3. Ghorbani, M., & Khaki, A. A note on the fourth version of geometric-arithmetic index. *Optel. Adv. Mater*, 4, 2212-2215.
4. Yuan, Y., Zhou, B., & Trinajstić, N. (2010). On geometric-arithmetic index. *Journal of mathematical chemistry*, 47(2), 833-841.
5. Ashrafi, A. R., & Shabani, H. (2010). GA index and Zagreb indices of nanocones, Optoelectron. *Adv. Mater.-Rapid Commun*, 4(11), 1874-1876.
6. Ghorbani, M., Mesgarani, H., & Shakeraneh, S. (2011). Computing GA index and ABC index of V-phenylenic nanotube, Optoelectron. *Adv. Mater.-Rapid Commun*, 5(3), 324-326.
7. Shabani, H., & Ashrafi, A. R. (2010). Computing the GA index of nanotubes and nanotori, Optoelectron. *Adv. Mater.-Rapid Commun*, 4(11), 1860-1862.
8. Farahani, M. R. (2013). Computing a New Connectivity Index for a Famous Molecular Graph of Benzenoid Family. *Journal of Chemica Acta*, 2(1), 26-31.
9. Xiao, L., Chen, S., Guo, Z., & Chen, Q. (2010). The geometric-arithmetic index of Benzenoid Systems and Phenylenes. *Int. J. Contemp. Math. Sciences*, 5(45), 2225-2230.
10. Farahani, M. R. (2013). Computing a New Connectivity Index for a Famous Molecular Graph of Benzenoid Family. *Journal of Chemica Acta*, 2(1), 26-31.
11. Dietz, F., Tyutyulkov, N., Madjarova, G., & Müllen, K. (2000). Is 2-d graphite an ultimate large hydrocarbon? II. structure and energy spectra of polycyclic aromatic hydrocarbons with defects. *The Journal of Physical Chemistry B*, 104(8), 1746-1761.
12. Huber, S.E., Mauracher, A., & Probst, M. (2003). *Chem. Eur. J.* 9, 2974-2981.
13. Jug, K., & Bredow, T. (2004). Models for the treatment of crystalline solids and surfaces. *Journal of computational chemistry*, 25(13), 1551-1567.
14. Farahani, M. R. (2013). Some Connectivity Indices of Polycyclic Aromatic Hydrocarbons (PAHs). *Advances in Materials and Corrosion*, 2(1), 65-69.
15. Farahani, M. R. (2013). Zagreb Indices and Zagreb Polynomials of Polycyclic Aromatic Hydrocarbons PAHs. *Journal of Chemica Acta*, 2(2), 70-72.



16. Farahani, M. R. (2013). Hosoya, Schultz, Modified Schultz Polynomials and Their Topological Indices of Benzene Molecules: First Members of Polycyclic Aromatic Hydrocarbons (PAHs). *International Journal of Theoretical Chemistry*, 1(2), 09-16.
17. Klavzar, S. (2008). A bird's eye view of the cut method and a survey of its applications in chemical graph theory. *MATCH Commun. Math. Comput. Chem*, 60(2), 255-274.
18. Farahani, M. R. (2013). Computing eccentricity connectivity polynomial of circumcoronene series of benzenoid Hk by Ring-cut Method. *Annals of West University of Timisoara-Mathematics*, 51(2), 29-37.
19. Farahani, M. R. (2013). Eccentricity Version of Atom-Bond Connectivity Index of Benzenoid Family ABC5 (Hk). *World Applied Sciences Journal*, 21(9), 1260-1265.
20. Farahani, M. R. (2013). Computing eccentricity connectivity polynomial of circumcoronene series of benzenoid Hk by Ring-cut Method. *Annals of West University of Timisoara-Mathematics*, 51(2), 29-37.
21. Farahani, M. R. (2013). Computing a New Connectivity Index for a Famous Molecular Graph of Benzenoid Family. *Journal of Chemica Acta*, 2(1), 26-31.
22. Farahani, M. R. (2013). The Ediz Eccentric Connectivity index and the Total Eccentricity Index of a Benzenoid System. *Journal of Chemica Acta*, 2(1), 22-25.

