Medical Applications on Fuzzy Logic Inference System: A Review

Sunny Thukral^{a,b} ^a Department of CS & IT, DAV College, Amritsar-143001, India ^bResearch Scholar, Department of CSA,Sant Baba Bhag Singh University, Jalandhar-144030, India Email:sunnythukral@davcollegeasr.org Jatinder Singh Bal Vice Chancellor, Sant Baba Bhag Singh University, Jalandhar-144030, India

------ABSTRACT------

Traditional approaches based on algorithms are not feasible for solving detection of diseases throughout the world. Fuzzy Logic becomes more and more popular for diagnosing diseases based on different parameters and methodologies. This paper represents the literature review of articles in fuzzy logic to deal with various medical applications for last decade (2008-2018)because of identified different methodologies developed in this time-period. On the basis of different fuzzy applications in medical field, this article focused on eight common medical issues like heart disease, asthma disease, liver disease, breast cancer, Parkinson disease, cholera, dental and diabetes disease. Based on these different medical applications, the basic objective is to explore and implement fuzzy logic in existing and different domains in future.

Keywords- ANFIS, Back-Propagation, Fuzzy Logic, Perceptron, Neuro-Fuzzy System

Date of Submission: Aug 31, 2018	Date of Acceptance: Nov 27, 2018

I. Introduction

 \mathbf{F} uzzy logic is an alternative to probability theory in which outcome represents the degree to which it leads to true or false. Fuzzy logic will be beneficial to work on incomplete, vagueness and uncertain problems. It totally depends upon membership functions based upon optimum results for given application. The conventional approach based on crisp sets to evaluate the results but with fuzzy logic we step forward to implement with fuzzy sets for approximate reasoning. So, it behaves as mimic nature as of human thinking to deal with specific problem. Fuzzy logic totally based on fuzzy if-then rules to produce an output for an application. Fuzzy rule based inference approach combines all three basic representation as matching, inference and combination to meet the final response. There are two ways to demonstrate fuzzy rules based on fuzzy mapping and fuzzy implication. The role of fuzzy mapping lies when we don't know all the values of the parameters in specific application whereas fuzzy implication focused on approximate reasoning with different statements. The objective of fuzzification is to convert crisp sets to fuzzy sets and defuzzification is to produce an output in the similar way as input. Through fuzzy logic, we can generate an intelligent machine which resembles the working as of human brain. To tackle the emergent need to society in medical field, the contribution of fuzzy logic is growing rapidly in every sector of medicine.

The rest of the paper is organized section II-IX presented with different surveys taken in medical field with methodologies, tool used and findings. Finally, section X contains discussions and section XI concluding remarks and future outline of fuzzy logic in medical applications.

II. Fuzzy Logic with Heart Disease

It is a type of disease caused due to damage or blockage of blood vessels in heart affecting less nutrients and oxygen supply to heart organ. Different types of heart diseases are very common like artery problem, cardiac arrest, heart failure, arrhythmia, stroke etc. Fuzzy logic is constantly growing to detect heart patients throughout the world with the help of developing new software's on the basis of different parameters. From the viewpoint of Sengur; identification of heart valve with comparative analysis of LDA and ANFIS approach was done in 2008. The whole implementation was proved in MATLAB software for identification of heart disease [1]. Considering similar parameters by Anbarasi in 2010proved better results as compared to existing software's for heart disease prediction on the basis of Genetic algorithm with implementation based on Weka tool [2]. In 2011, Soni J et al. developed IHDPS software which showed 89% accuracy with decision tree algorithm when compared with Naïve Bayes and KNN. It takes 609 ms to predict heart disease with Naïve Bayes algorithm that was implemented on Tangara tool [3]. Another remarkable work has been done by Ansari A.Q and Gupta N.K in the same yearto predict high/low risk of cardiac patients in his work with 7 input parameters by using Neuro Fuzzy approach implemented in MATLAB [4]. The similar neuro fuzzy approach was implemented by Ephzibah in 2012 for the development of Neuro-Fuzzy Expert system through which we can input the symptoms and the system will display the output with risk factor and recommendations [5]. Later in 2016, Olainiyi et al. performed comparative analysis with KNN, Decision Tree, Naïve Bayes and Back-Propagation algorithm with 13 inputs and 2 output variables and produced 85% recognition rate with back-propagation using MATLAB

Toolbox [6].After a couple of years, Chauhan represented classification model to predict heart disease by using Random Forest classifier and Decision Tree algorithm with 5 input parameters and showed 79.35% true positive

rate with decision tree algorithm in 2108 [7]. Table 1 provides a brief summary of different researchers in heart disease detection.

Authors/Years	Methodology	Tool	Findings
Sengur (2008) [1]	LDA and ANFIS approach	MATLAB Tool	To identify heart valve disease
Anbarasi M (2010) [2]	Genetic Algorithm	Weka Tool	Better results as compared to existing software's
Soni J et al. (2011) [3]	Decision Tree, Naïve Bayes and KNN	Tangara Tool	89% Accurate results with decision tree algorithm on IHDPS software and 609 ms to predict with naïve bayes algorithm
Ansari A.Q and Gupta	Mamdani Fuzzy Logic with 7	MATLAB	To identify high/low risk of
N.K (2011) [4]	input parameters, Neuro Fuzzy Inference System	Simulation	cardiac patients in his study
Ephzibah (2012) [5]	Neuro-Fuzzy approach	MATLAB Tool	Development of Neuro-fuzzy as expert system
Olainiyi et al. (2016) [6]	Back-Propagation, Feed Forward Algorithm with 13 features and 2 output variables	MATLAB Tool	Comparative Analysis with KNN as 45.67%, Decision Tree as 84.35%, Naïve Bayes as 82.31% and BPNN as 85% recognition rate
Chauhan (2018) [7]	Random-Forest Classifier and Decision Tree with 5 input parameters	MATLAB Tool	75.6% Accuracy 79.35% True Positive scenario with decision tree algorithm

Table 1: Heart Disease Systems

III. Fuzzy Logic with Asthma Disease

Asthma is a chronic lung disorder affecting lungs due to narrow airways. It is a type of life threatening disease causing breathing problem to an individual. In the year 2010, Zarandi M.H et al. proposed a system to diagnose asthma by assigning parameters with fuzzy logic. The whole representation was performed in Iran and concluded with 100% specificity and 94% sensitivity [8]. In 2014, the proposal of diagnosing adult asthma was given by Patra S and Thakur G.S by using Neuro-Fuzzy fitting tool with SOM, LVQ and BPNN algorithms. The back-propagation considered to be the best among all at epoch 9 by providing 535 samples [9]. Another classification was done by Badnjevic A et al. in 2015 for asthma and chronic disease with MATLAB tool profiler with different classification algorithms as NN and LM which provides 99.41% correctly classified results with specificity 100% and sensitivity 99.28% [10]. Table 2 provides a brief summary of methodologies and findings in asthma systems.

 Table 2: Asthma Disease Systems

Authors/Years	Methodology	Tool	Findings
Zarandi M.H et al.	Parameters assigned with	Mamdani Fuzzy	Case Study in Iran with
(2010) [8]	Fuzzy Values	Inference System	Specificity of 100% and
			Sensitivity of 94%
Patra S and Thakur	Self-Organizing Map (SOM),	Neuro-Fuzzy Fitting	Back-Propagation best in output
G.S. (2014) [9]	Learning Vector	Tool	and best validation performance at
	Quantization,Back-		epoch 9 with 535 samples
	Propagation Algorithm		
Badnjevic A et al.	Neural Network Classifier,	MATLAB Tool	99.41% correctly classified with
(2015) [10]	Levenberg-Maquardt	Profiler	Specificity of 100% and
	Algorithm		Sensitivity of 99.28%

IV. Fuzzy Logic with Liver Disease

It is a type of hepatic disease that causes liver to prevent functioning and its working. The majority of factors of liver disease are due to alcoholic or genetic nature. The most common types of liver disease are fatty liver,

the individuals regarding liver disease [11]. After a couple

hepatitis B or C, cirrhosis, alcoholic hepatitis, hemochromatosis etc. To predict liver disease, Satarkar S.L and Ali M.S in 2013 worked on diagnosis liver disease on the basis of expert system collaborated with fuzzy logic. According to them, the representation was given with Mamdani approach by using 3 inputs and 1 output variables to identify the risk in of years, the work was further refined in 2015 by Hashmi Aby doing classification on the basis of blood test to diagnose liver disease using fuzzy approach. In his classification, he focused on 4 inputs and 3 output parameters and compared results with MATLAB simulation and computed values with outcomeas better software for the society to diagnose in a better way having an error of just 0.7% [12]. Table 3 provides tools and findings with brief summary report.

Authors/Years	Methodology	Tool	Findings
Satarkar S.L and Ali	Mamdani Fuzzy Logic with 3	Fuzzy Logic	Identify risk status with max-min
M.S (2013) [11]	input and 1 output parameters	Toolbox	approach and centroid method
			proved results with
			defuzzification
Hashmi A (2015) [12]	Mamdani Fuzzy Inference	MATLAB FIS	MATALAB simulation results
	System with 4 input and 3		17.20 as compared to 16.89 with
	output variables		calculated values and error rate
			0.7% for anemia diagnosis

Table 3: Liver Disease Systems

V. Fuzzy Logic with Breast Cancer

Breast cancer is a type of disease caused due to lumps found in breast that forms the cells. This disease considered to be the second most deadliest in women as compared to lung cancer. Gallardo J et al. in 2008 interoperate on mammographic images to focus on breast cancer using fuzzy logic and considered to be early diagnosis to tackle the disease. The methodology was used as image segmentation along with 4 input and 1 output parameters carrying 72 rules to conclude an appropriate decision with 80% accuracy [13]. Another automated detection approach was given by Adeli M and Zarabadipour H in 2011 with pattern recognition by using Genetic, Radial basis and GRNN algorithm with 19 distinct features. Genetic algorithm considered to be best with 96.77% classification accuracy for diagnosing breast cancer [14]. Sizilio G et al. in 2012 proposed a model for pre-diagnosis breast cancer with Finite Needle Aspirate (FCA) approach implemented in MATLAB. The accuracy of the system was measured as Sensitivity 98.59% and Specificity as 85.43% [15]. Another disease classification was done by Sagir A.M in 2017 paid attention to deal with breast cancer by implementing ANFIS, Modified LM and Gradient Descent algorithms and proved 84% accurate via fuzzy logic toolbox [16]. Different methodologies and findings in brief represented in Table 4 as follows.

 Table 4: Breast Cancer Systems

Authors/Years	Methodology	Tool	Findings
Gallardo J et al. (2008)	Fuzzy Logic with Image	Fuzzy Logic	80% accuracy with radiologist
[13]	Segmentation with 4 input	Toolbox	and oncologist
	and 1 output along with 72		
	rules		
Adeli M and	Genetic Algorithm, Radial	Fuzzy Logic	Genetic Algorithm proved best
Zarabadipour H (2011)	Basis Function , GRNN	Toolbox	among all as compared to other
[14]	algorithm with 19 features		algorithms as 96.77% and 97.84%
			classification accuracy with and
			without pattern recognition.
Sizilio G et al. (2012)	PDM-FCA (Pre-Diagnosed	Fuzzy Logic	Sensitivity 98.59%
[15]	Module and Fine Needle	Toolbox	Specificity 85.43%
	Aspirate) approach and		
	IVEMI approach		
Sagir A.M (2017) [16]	ANFIS Grid Partitioning,	MATLAB Toolbox	84% Accuracy
	Modified LM, GD Algorithm		

VI. Fuzzy Logic with Parkinson Disease (Neurological)

It is a type of disease caused stiffness and tremors as Parkinson's midbrain to be effected mostly. It is totally based on nervous system disorder that affects neurons at specific locations in brain. Geman O in 2013 presented a model on Parkinson disease using fuzzy logic based on 7 input selected parameters. The model was based on expert system and non-linear dynamic approach which proved to be probable diagnosis of neurological disease with 95.46% accuracy [17]. Authors brought into light to tackle Ebola fever with fuzzy logic, by considering weight and score approach with 7 inputs and 1 output variable by Emokhare B.O and Igbape E.M. in 2015. The overall objective was to reduce mortality rate of patients carrying Ebola fever for diagnosis [18]. Another representation was given by Naskar S in 2016 based on neural network technique with genetic algorithm to tackle Parkinson disease. Different types of algorithms have been applied to provide best accuracy for the system.

Genetic, Naïve Bayes, Perceptron, Back-Propagation and Gradient Descent algorithms has been implemented in MATALAB providing 96.55% accuracy with neural network genetic approach [19]. Hybrid representation of neural network and fuzzy logic as ANFIS approach was given by Kaur P et al. in 2017 with 71 membership functions based on 7 input and 1 output parameters. The produced output specified best outcomes in terms of sensitivity and specificity at epoch 12 with minimal error rate [20].Continue in the same direction, Karunanithi D and Rodrigues P in 2018 proposed a model to diagnose Parkinson's disease with FIS approach using 23 distinct attributes but selected only 4 parameters based on optimum results using fuzzy height [21]. Table 5 provides a brief summary of different researchers in Parkinson's disease detection.

Table 5:	Parkinson	's Disease	Systems
----------	-----------	------------	---------

Authors/Years	Methodology	Tool	Findings
Geman O (2013) [17]	Mamdani Fuzzy Logic with 7	MATLAB Toolbox	Results compared with clinical and
	input parameters		probable diagnosis with accuracy
			95.46%
Emokhare B.O and	Mamdani Fuzzy Logic with 7	MATLAB Toolbox	To reduce mortality rate of Ebola
Igbape E.M. (2015)	input and 1 output variables		patients for better diagnosis and
[18]	with weight and scoring		drugs
	system		
Naskar S (2016) [19]	Genetic Algorithm, Naïve	MATLAB	Neural network with Genetic
	Bayes Classifier, Multilayer		algorithm best in findings with
	Perceptron, Back		accuracy 96.55% and 100 precision
	Propagation, Gradient		value and F-Measurement as
	Descent		92.31%
Kaur P et al. (2017)	Mamdani Fuzzy Logic with 7	MATLAB Toolbox	Better results with ANFIS in terms
[20]	inputs and 1 output parameter		of accuracy, sensitivity and
	with 71 membership		specificity and best results at epoch
	functions		12 with error just having 0.00029
Karunanithi D and	FIS method with 23	Fuzzy Logic	Identify Parkinson's Disease
Rodrigues P (2018)	attributes; selected 4	Toolbox	affected or healthy set on the basis
[21]	attributes chosen from		of fuzzy height
	analysis		

VII. Fuzzy Logic with Cholera Disease

Cholera is a bacterial disease mostly occurred after consumption of drinking contaminated water. It is a type of disease that can lead to dehydration, diarrhea and up to death if not tackle at right time. In view of Uduak A and Mfon a proposed model on cholera was based of Mamdani fuzzy approach using 3 inputs and 1 output parameter in 2013. The representation was given with centroid method as defuzzification and proved better results with MATLAB simulation [22]. In another study Okpor M.D in 2014 classified his analysis on cholera using fuzzy classification with 5 inputs and 1 output parameter. The outcomes were satisfactory for tackling cholera as compared to existing applications [23]. Table 6 provides a summary on cholera with simulation results as follows.

Table 6: Cholera Disease Systems

Authors/Years	Methodology	Tool	Findings
Uduak A and Mfon	Mamdani Fuzzy Logic with 3	MATLAB with	MATLAB results 5.91% better as
(2013) [22]	input and 1 output parameter	max-min function	compared to calculated results as
		and centroid	5.60%
Okpor M.D (2014)	Fuzzy Classifier Algorithm	Fuzzy Logic	Simulation results was satisfactory
[23]	with 5 input parameters and 1	Toolbox	for diagnosing cholera
	output parameter		

VIII. Fuzzy Logic with Dental Disease

It is a type of disease that infecting surrounding teeth in the form of tooth decay, periodontal disease, gingivitis, dental plaque etc. Allahverdi N and Akcan T diagnosed on periodontal dental problem in 2011. The objective of using fuzzy logic based on 164 fuzzy rules as fuzzy extraction with 5 input variables to minimize the time taken for identification of dental disease [24]. In the next year Parewe A.M et al. represented dental problem with hybrid fuzzy on evolution paradigm with 8 input parameters. The outcomes were 82% accurate as compared to fuzzy with 70% having RMSE of less than 1 [25]. Later on, Allahverdi in 2014 proposed a model of combining three different diseases covered in one fuzzy expert approach. He worked on dental, heart and anemia problem with 11 input parameters for diagnosing multiple diseases [26]. Recently Ambara B et al. in 2017 focused on dental disease by asking 27 different types of questions to individuals on the basis of image selection and proved 94.627% accuracy of the system [27]. Table 7 showed with methodologies. different dental software's to diagnose enamel effects

Authors/Years	Methodology	Tool	Findings
Allahverdi N and	Mamdani Fuzzy Logic with 5	Fuzzy Logic	Dental Disease identification time
Akcan T (2011) [24]	input variables and 164 rules	Toolbox	minimized
Parewe A.M et al.	Mamdani Fuzzy Logic with 8	MATLAB	82% accurate results as compared
(2012) [25]	input parameters		to FIS as 70% with RMSE of 0.82
Allahverdi (2014) [26]	Mamdani Fuzzy Logic with	Fuzzy Logic	Common expert system for dental,
	11 input variables but chosen	Toolbox	heart and anemia risk etc.
	4 variables as input and 1		
	output variable		
Ambara B et al. (2017)	Fuzzy Expert System	Fuzzy Logic	94.627% accuracy with dental and
[27]	approach based on 27	Toolbox	oral disease detection
	questions with image		
	selection		

Table 7: Dental Disease Systems

IX. Fuzzy Logic with Diabetes Disease

It is a type of disease resulting high blood glucose level in body. It considered as metabolic disease in which cells of the body to insulin flow disturbed causes type 1, type 2, gestational diabetes etc. Insulin provides glucose to cells for providing energy to the body. Too much sugar level in the body leads various problems like damaging kidney and nerves. Polat K and Gunes S in 2008 paid attention to proposed a model to diagnose diabetes disease based on PCA and ANFIS methodology with 8 input features implemented in MATLAB. The expert system proved 89.47% accurate with 85% sensitivity, 92% specificity and 0.262 root mean square error [28]. Another proposal was given on diabetic neuropathy for diagnosing diabetic disease using ASP software by Katigari et al. in 2017. The results were computed based on questionnaire approach with 8 input and 1 output parameter sensitivity 89%, specificity 98% and system accuracy considered to be 93% [29]. Table 8 provides conclusive report in diabetes disease detection.


Table 8: Diabetes Disease Syster	ms
----------------------------------	----

Authors/Years	Methodology	Tool	Findings
Polat K and Gunes S (2008) [28]	PCA and ANFIS approach with 8 input feature and reduced to 4 features	MATLAB	89.47% Accuracy Sensitivity 85% Specificity 92% RMSE 0.262
Katigari et al. (2017) [29]	Fuzzy Logic approach with 8 input and 1 output parameter	ASP.net with MATLAB	Duration of diabetic score on the basis of questionnaire with sensitivity 89%, specificity 98% and accuracy of system as 93%

X. Discussions


The literature review on medical field using fuzzy logic is too broader to think. Different types of methodologies have been applied to detect or predict an appropriate disease. It is very clear from the recent articles in this paper that to deal with different diseases; we need different algorithms and tools to get the optimum results. The year wise selection of articles that was student using fuzzy logic depicted in Figure 1.

Figure1: Year wise article collection



Another way to represent different categories implemented in this review paper discussed in the form of pie chart as represented in Figure 2. The authors tried to collect different articles in concerned domain but due to broader domain, it's very difficult to collect all.

Figure2: Category wise article collection



Some of the researcher's having similar methodologies but the selection of disease was different and getting better results to traditional algorithms. But from the other viewpoint, it was quite obvious that from the same medical problem, different methodologies played a crucial role to deal with better outcomes. Different types of medical problems discussed in this paper considered to be diversified in latest era.

XI. Concluding Remarks and Future Outline

This literature review paper based on medical applications with fuzzy logic being applied different methodologies to generate intelligent fuzzy diagnostic systems in the last decade. In this review, almost all fuzzy systems used Mamdani and Sugeno type inference to formulate fuzzy rules. Type-2 fuzzy logic has been applied by some authors to diminish the rules for linear as well as complex problems. Few authors tried to get the dataset from observations, UCI Repository and existing records from various hospitals. There are different types of algorithms like Genetic, Back-Propagation, Decision Tree, Self-Organising Map, LM, Modified LM, Perceptron, and Gradient Descent to evaluate the detection of multiple diseases with fuzzy logic. But Back-Propagation and Genetic Algorithm considered being best among all for providing better results with accuracy in each and every recognition of a disease. There are various tools used for diagnosed but MATLAB tool considered as best provider for optimum results as compared to Tangara and WEKA tool. The diagnosed would be much better if Back-Propagation or Genetic Algorithm will be implemented with MATLAB by using more than 7 parameters because of maximum number of rules for optimum accuracy for disease detection. The conclusion based on experimental approach to develop these types of systems and the emergent need where specific expertise not available and the user can predict the disease from existing software's. Due to overlap of symptoms among different diseases it's very difficult to understand the exact disease without getting laboratory outcome which usually need time and cost. To focus this viewpoint, the role of developing fuzzy medical diagnosis systems was desired need for the

benefit of the society. There are lots of researchers working in every corner of the world to deal with medical problems with fuzzy logic for the development of intelligent machines to predict different diseases. But still there are various fields in medicine that require systems for disease prediction on the basis of symptomatic or asymptomatic approach like in gluten sensitivity, viral infections, tuberculosis, cervical cancer, celiac disease, neurological problems, alopecia etc. Every disease has been represented in tabular format with suitable methodology and their findings. Another future paradigm is to identify various drugs to be recommended in addition to disease detection or prediction and further diseases can be examined in new direction. It is assumed that fuzzy logic will alter existing systems into hybrid intelligent systems in future.

References

[1] Sengur, A. "An expert system based on linear discriminant analysis and adaptive neuro-fuzzy inference system to diagnosis heart valve diseases", *Expert Systems with Applications* 2008; 35 (1–2): 214–222.

[2]. Anbarasi, M., Anupriya, E., Iyengar, N. "Enhanced Prediction of Heart Disease with feature subset selection using Genetic Algorithm". *International Journal of Engineering Science and Technology* 2010; 2(10):5370-5376.

[3] Soni, J., Ansari, U., Sharma, D., Soni, S. "Predictive data mining for medical diagnosis: An overview of heart disease prediction". International Journal of Computer Applications 2011; 17(8):43-48.

[4]. Ansari, A.Q, Gupta, N.K. "Automated diagnosis of coronary heart disease using neuro fuzzy integrated system". IEEE 2011. DOI:10.1109/wict.2011.6141450.

[5] Ephzibah, E.P, Sundarapandian, V. "An expert system for heart disease diagnosis using neuro-fuzzy technique". International Journal on Soft Computing, Artificial Intelligence and Applications 2012; 1(1).

[6]. Olaniyi, E.O., Oyedotun, O.K., Helwan, A., Andan, K. "Neural Network diagnosis of heart diseases". 2016; DOI:10.1109/ICABME.2015.7323241.

[7]. Chauhan, R., Jangade, R., Rekapally. "Classification model for prediction of heart disease". Springer 2018; 707-714.

[8]. Zarandi, M.H., Zolnoori, M., Moin, M., Heidarnejad, H. "A fuzzy rule based expert system for diagnosing asthma". Transaction E: Industrial Engineering 2010; 17(2):129-142.

[9]. Patra, S., Thakur, G.S.M. "A proposed neuro fuzzy model for adult asthma disease diagnosis". Computer Science and Information Technology 2014; pp: 191-205. DOI:10.5121/csit.2013.3218.

[10] Badnjevic, A., Cifrek, M., Koruga, D., Osmankovic, D. "Neuro-Fuzzy classification of asthma and chronic obstructive pulmonary disease". BMC Medical

Informatics and Decision Making 2015; 15(Suppl3): S1:1-9.

[11]. Satarkar, S.L., Ali, M.S. "Fuzzy expert system for the diagnosis of common liver disease". International Engineering Journal for Research and Development 2013, 1(1).

[12]. Hashmi, A., Khan, M.S. "Diagnosis blood test for liver disease using fuzzy logic". International Journal of Sciences: Basic and Applied Research 2015; 20(1):151-183.

[13]. Gallardo, J., Hernandez-Vera, B., Lasserre, A. "Interpretation of Mammographic using Fuzzy logic for early diagnosis of breast cancer". IEEE Computer Society 2008; 278-283. DOI:10.1109/MICAI.2008.58.

[14]. Adeli, M., Zarabadipour, H. "Automatic disease diagnosis systems using pattern recognition based genetic algorithm and neural networks". *International Journal of Physical Sciences* 2011; 6(25):6076-6081.

[15]. Sizilio, G., Leite, C., Guerreiro, A., Neto, A.D. "Fuzzy method for pre-diagnosis of breast cancer from the fine needle aspirate analysis". *BioMedical Engineering Online* 2012;11(83):1-21.

[16]. Sagir, A.M., Sathasivam, S. "Intelligence system based classification approach for medical disease diagnosis". *AIP Conference Proceedings* 2017; DOI:10.1063/1.4995879.

[17]. Geman, O. "Parkinson's Disease assessment using Fuzzy expert system and non-linear dynamic". *Advances in Electrical and Computer Engineering* 2013; 13(1): 41-46.

[18]. Emokhare, B.O. and Igbape, E.M. "Fuzzy Logic based approach to early diagnosis of ebola hemorrhagic fever". *Proceedings of the World Congress on Engineering and Computer Science 2015*; Vol II.

[19]. Naskar S "Detection of Parkinson's disease using neural network trained with genetic algorithm". *International Journal of Advance Research in Computer Science 2016*; 7(5):46-51.

[20]. Kaur, P., Trehan, H., Kaur, V., Dhilon, N. "Analysis of adaptive neuro-fuzzy based expert system for Parkinson's Disease Diagnosis". *International Journal of Advanced Research, Ideas and Innovations in Technology* 2017; 3(3): 1120-1127.

[21]. Karunanithi, D. and Rodrigues, P. "Diagnosis of Parkinson's Disease using Fuzzy Height". *International Journal of pure and applied mathematics* 2018; 118(20): 4497-4502.

[22]. Uduak, A., Mfon, M. "Proposed fuzzy framework for cholera diagnosis and monitoring". *International Journal of Computer Applications* 2013; 82(17):1-10.

[23] Okpor, M.D. "Using Fuzzy classifier for cholera analysis". *International Journal of Science and Research* 2014; 3(8):314-317.

[24] Allahverdi, N. and Akcan, T. "A fuzzy expert system design for diagnosis of Periodontal Dental Disease" *IEEE 2011*.

[25]. Parewe, A.M., Mahmudy W.F., Ramdhani F., Anggodo, Y. "Dental disease detection using hybrid fuzzy logic and evolution strategies". *Journal of Telecommunications, Electronic and Computer Engineering*; 10(10).

[26]. Allahverdi. "Design of Fuzzy expert system and its applications in some medical areas". *International Journal of Applied Mathematics, Electronics and Computers* 2014; 2(1):1-8.

[27]. Ambara, B., Putra, D., Rusjayanthi, D. "Fuzzy expert system of oral and dental disease with certainity factor". *International Journal of Computer Science* 2017, 14(3):22-30. DOI: 10.20943/01201703.2230.

[28]. Polat, K., Gunes, S. "An expert system approach based on principal component analysis and adaptive neuro fuzzy inference system to diagnosis of diabetes disease". *Elsevier, Digital Signal Processing* 2008; 17:702-710.

[29]. Katigari, M.R, Ayatollahi, H., Malek, M. and Haghighi, M.K. "Fuzzy expert system for diagnosing diabetic neuropathy", 2015. *World J Diabetes*, 8(2):80-88. doi:10.4239/wjd.v8.i2.80.

Biographies



Sunny Thukral is currently working as an Assistant Professor in PG Department of Computer Science and Information Technology in DAV College, Amritsar, India for more than 10 years. He has done MTech (IT) and

UGC-NET in Computer Science and Applications. Hisresearch interest includes Neural Network, Computer Networks and Fuzzy Logic. He has also published his research papers in conferences of National and International Repute.



Prof Dr Jatinder Singh Bal is currently working as Vice Chancellor of SBBS University. He has done MTech PhD with teaching experience of more than 21 years. He has also published more

than 120 research articles in various international conferences and in reputed journals.