

Effect of Humidity on the Efficiency of Solar Cell (photovoltaic)

Manoj Kumar Panjwani¹, Dr. Ghous Bukshsh Narejo¹

¹Department of Electronic Engineering, NEDUET, Pakistan

E-mail- manoj_panjwani@hotmail.com

Abstract: Out of 100% energy coming from sun approximately 30% of the energy is either reflected back or is absorbed by clouds, oceans and land masses. In cities where the humidity is more, like Karachi Mumbai, Malaga, Hamburg and Los Angeles where in average humidity ranges in (40-78 %), results in a minimal layer of water vapor at the front solar cell directly facing Sun. The Solar energy which actually strikes the solar cell is subjected to loss in absorption/reflection of energy. There have been approximate losses of about 15-30% of the energy in addition to 30%. One of the effects that we found out after our experimental analysis was of the humidity that it brings down the utilization of solar energy approximately to 55-60% from just 70% approximately of utilized energy.

Keywords: Solar energy, humidity factor, absorption, effect, reflection, efficiency, approximation.

Introduction

If we talk about the energy which is received from Sun, Earth receives approximately of 1413 W/m^2 and the actual consumption which appears on the scale formulated is approximately 1050 W/m^2 as recorded by Pacific Northwest Forest and Range Experiment Station Forest Service, U.S. Department of Agriculture, Portland, Oregon, USA in 1972. As per the facts observed, approximately of 30% energy is lost in between. As per the statistical figures stated, that the Earth's top of the atmosphere sunlight's intensity is about 30% more intense than the actual received on the land. In the Solar panels what we use today, actually we make use of the 70% energy coming from the Sun and utilize the working of our panels to fulfill our energy needs. [1-3]

As per the fact that the earth's crust mainly consists of 70% of Water, the energy which strikes the earth is indirectly striking the water/oceans which helps in increasing of humidity level on the overall basis. The humidity doesn't only create hurdles for the energy actually received at the top of the atmosphere but also effects the device consumptions by many aspects. [4-5]

The aspects what we covered is the effect of humidity on the Solar panels which create obstacles for drastic variation in the power generated, indirectly making the device work less efficient than it could have without it. The cities where in the humidity level is above the average range of 30 actually results in the minimal layer of water on the top of the Solar panel which results in decreasing of the efficiency.

As per the facts when the light consisting of energy/Photon strikes the water layer which in fact is denser, Refraction appears which results in decreasing of intensity of the light which in fact appears the root cause of decreasing of efficiency. Additionally there appears minimum components of Reflection which also appears on the site and in that, there appears light striking is subjected to more losses which after the experiments conducted resulted approximately in 30% loss of the total energy which is not subjected to utilization of Energy for the Solar panel. [6]

As far as the efficiency of the Solar cell is concerned, Efficiency is termed as the amount of the light that can be converted into usable format of electricity. Because of the efficiency depends upon the value of Maximum Power Point of the Solar cell, due to the above effect of humidity, the maximum power point is deviated and that indirectly results in decreasing of the Solar cell Efficiency. [7-8]

Interesting facts appear to provide surprising figures about the population in Coastal areas around the globe. According to National Oceanic and Atmospheric Administration USA, about 52% of the Population in USA lives coastal counties Los Angeles, Texas, Calif Etc. [9]

According to the top world users of Solar Energy, Germany (9785MW), Spain (3386MW), Japan (2633MW) and USA (1650) appears to dominate among the users of Solar Energy and where in the coastal humidity ranges among the cities as Hamburg (Germany) as 50-70%, Malaga (Spain) as 65-80%, Tokyo (Japan) 45-65% and Los Angeles (USA) as 70-95%. [10]

The usage of the Solar Panel is readily effected by the effect of humidity and the values corresponds to change is the humidity is subjected to change

Experiment and Analysis:

Various experiments were conducted and in the test bench included 50W BP Solar Panel having specification of $V_{amp} = 17.3V$ and $I_{mp} = 2.9A$ with temperature coefficient of $I_{sc} = (0.065 \pm 0.015) \% / ^\circ C$, Temperature coefficient of $V_{oc} = -(80 \pm 10) mv / ^\circ C$ and Temperature coefficient of power $= -(0.5 \pm 0.05) \% / ^\circ C$, and Tungsten Halogen Bulb of 1000W, 2 Humidifier, Hygrometer, Thermometer, Output Load as tungsten filament bulbs(15,20,25W) , 2 Millimeters.

Results were calculated initially with normal temperature in Karachi which was $32^\circ C$ (305K) and humidity 25. The humidifier was used as to increase the humidity level of the area where in the Solar panel was connected with the load and was subjected to a constant intensity by using tungsten Halogen bulb and the distance was kept 2 foot. The readings were noted and the humidity was carefully calculated by the use of Hygrometer.

The results showed the drastic change in the readings when the humidity was subject to gradually increase. Below is the chart in where the readings are noted

| Temperature(K) | Humidity (%) | Voltage (DC) | Current Amps(DC) | Powers(watts) |
|----------------|--------------|--------------|------------------|---------------|
| 305 | 25 | 17.10 | 2.78 | 47.538 |
| 305 | 30 | 16.72 | 2.63 | 43.973 |
| 305 | 35 | 16.53 | 2.42 | 40.002 |
| 305 | 40 | 16.45 | 2.3 | 37.605 |
| 305 | 45 | 16.41 | 2.14 | 35.117 |
| 305 | 50 | 16.33 | 2.04 | 33.313 |
| 305 | 55 | 16.32 | 1.88 | 30.681 |

Table 1: Humidity vs. voltage, current and power readings taken through the experimental set up as discussed.

Below are the graphs where in the relation between Humidity to voltage, current and power are calculated





Fig1. Graph between Humidity and Voltage. Humidity appears as X axis and Voltage appears at Y axis



. Graph between Humidity and Current. Humidity appears as X axis and Current appears at Y axis




Fig3. Graph between Humidity and Power. Humidity appears as X axis and Power appears at Y axis

After the results which are obtained so far , the readings clearly shows that the humidity level do effect the working of the solar panel and can drag down the efficiency of the Solar panel is installed in cities where in the normal humidity level appear more.

$$\text{Percent Reduction in Power} = \frac{P(\text{Without Humidity}) - P(\text{with Humidity})}{P(\text{Without Humidity})} * 100$$

5% Humidity Increased

$$1^{\text{st}} = \frac{(47.538 - 43.973)}{47.538} * 100 = 7.499\% \text{ Approx.}$$

10% Humidity Increased

$$2^{\text{nd}} = \frac{(47.538 - 40.002)}{47.538} * 100 = 15.85\% \text{ Approx.}$$

15% Humidity Increased

$$3^{\text{rd}} = \frac{(47.538 - 37.605)}{47.538} * 100 = 20.89\% \text{ Approx.}$$

20% Humidity Increased

$$4^{\text{th}} = \frac{(47.538 - 35.117)}{47.538} * 100 = 26\% \text{ Approx.}$$

25% Humidity Increased

$$5^{\text{th}} = \frac{(47.538 - 33.313)}{47.538} * 100 = 29.92\% \text{ Approx}$$

Acknowledgment

I would like to thank Dr.Lachhman Das Dhomeja, Professor at Institute of Information and Communication Technology, University of Sindh , Indra Devi Sewani , PHD Student at Sindh University Jamshoro and Radha Mohanlal , Lab Engineer at IOBM for being

supportive and informative in my goals and for unconditional help without which this task submission of Research wouldn't have been ever possible

CONCLUSION

After the experiments conducted, humidity drastically effect the performance of the Solar Panel and proves out to decrease the Power produced from the Solar Panels up to 15-30% if subjected to environment where in the Humidity level remains high

Future Prospects and Suggestions:

After observing such a drastic change when it comes to change in humidity level , the required Solar Panels should be designed in such a way specially in Pakistan which could be made to have less effects of humidity level on the Power ratings.

REFERENCES:

- "Chapter 8 – Measurement of sunshine duration" (PDF). *CIMO Guide*. World Meteorological Organization
- "Natural Forcing of the Climate System". Intergovernmental Panel on Climate Change. Retrieved 2007-9-29. Radiation Budget". NASA Langley Research Center. 2006-10-17.
- "Introduction to Solar Radiation". Newport Corporation. Archived from the original on Oct. 29, 2013.
- "CIA - The world fact book". Central Intelligence Agency.
- Somerville, Richard. "Historical Overview of Climate Change Science" (PDF). Intergovernmental Panel on Climate Change.
- Dill, Lawrence M. "Refraction and the spitting behavior of the archerfish (*Toxotes chateaus*)." *Behavioral Ecology and Sociobiology* 2.2 (1977): 169-184.
- "Photovoltaic Cell Conversion Efficiency". U.S. Department of Energy.
- Mustafa, G. ; Khan F, "An efficient method of Solar Panel Energy Measurement System", Dhaka 2009
- nancyschuelke.hubpages, Top-5-Users-of-Solar-Energy-In-the-World.
- 18997-population-coastal-areas-infographic.html, .live science.
- M.C. Alonso-Garcia, J.M.Ruiz. "Experimental study of mismatch and shading effects in the I-V characteristic of a photovoltaic module. *Solar Energy Materials & Solar cells*", 2006,
- Ravi Prakash Tiwari, Rajesh M, K. Sudhakar" Energy and energy analysis of solar photovoltaic system", 2012 Bhopal
- Ralph, E.L., Linder, E.B. Advanced solar panel designs, Washington, DC 2006.
- Zeller, P., Libati, H.M. Utilization of solar energy for electrical power supply in rural African areas, Nairobi 2009
- Design and proper sizing of solar energy schemes for electricity production in Malaysia, 2003