URR International Journal of Research and Review EVENU 2340-0788: P-ISSN: 2454-223'

E-ISSN: 2349-9788; P-ISSN: 2454-2237

Review Article

www.gkpublication.in

A Review on Studies and Research on Applications of Ozonation and U.V. **Treatment with Emphasis on Water Disinfection**

Sunil J. Kulkarni

Datta Meghe College of Engineering, Airoli, Navi Mumbai, Maharashtra, India.

Received: 09/12/2015

Revised: 19/12/2015

Accepted: 19/12/2015

ABSTRACT

Purification of water is important research area because of increasing pollution and depletion in water resources. Water is normally treated by using carbon filter and chlorination for drinking purpose. The waste water can be treated by using different biological, chemical and advanced treatment processes. Disinfection of water can be carried out by ozonation and U.V. irradiation. U.V. irradiation with ozonation can exhibit synergic effect and can treat the water more effectively. Many investigators have studied ozonation- UV irradiation- hydrogen peroxide treatments in combination and separately and compared them. Present review summarizes the research and studies on application of ozonation, UV irradiation and H₂O₂ treatment.

Key words: Disinfection, UV treatment, oxidizers, cost effectiveness.

INTRODUCTION

Water scarcity is one of the major problems faced by the world. Effective wastewater treatment of becomes important for proper and economical use of water. The conventional treatments for removal of organic matter from water include activated sludge process, trickling filters and other biological processes. ^[1-4] The physical and chemical treatment processes such as adsorption are also effective and economical. ^[5-8]

Advanced methods such as membrane separation can also be used for more effective removal of salts and other solids. ^[9,10] The presence of pathogens and other biological pollutants limits the use of water for potable purpose. Generally, chlorination is used for disinfection. The treatment by using ozonation, UV radiation is promising area of research. The UV irradiation can be used for some other disinfection purposes also. The

present review summarizes the research and studies on application of ozonation, UV irradiation and their combination with conventional treatment processes.

RESEARCH AND STUDIES ON **OZONATION AND UV TREATMENT**

Romero-Sanchez et.al carried out an investigation on the effect of exposure to different ozone concentrations and UV radiations on rubber. ^[11] During their investigation, they observed that the O_3 , UV and UV/O3 treatment of S6 rubber improved wettability, created oxygencontaining moieties at the surface. They observed that adhesion was highly improved after UV and UV/O₃ treatments of S6 rubber, more markedly with increasing treatment time. They also observed that the O₃ treatment modifies the S6 rubber surface to a lesser degree than does the UV or UV/O_3 treatments.

Kolte et.al conducted experiments with Ozone, Ozone–UV, and H_2O_2 -UV radiation process. ^[12] Increase in BOD indicated that recalcitrant organic material becomes biodegradable. They examined pretreated anaerobically digested spent wash (ADSW) with optimized combine of ozonation - H_2O_2 -UV treatment. They concluded that combine ozonation treatment to ADSW followed by aerobic treatment is better alternative treatment compared to an anaerobic treatment.

Summer felt et.al carried out an investigation for determination of the requirements process necessary to flow, using disinfect the full RAS ozonation followed by UV irradiation.^[13] They used ozonation and ultraviolet (UV) irradiation processes separately or in combination to treat water in RAS before it returns to the fish culture tanks. Their research was focused on determination of the process requirements necessary to disinfect the full RAS flow, using ozonation followed by UV irradiation, just before the flow was returned to the fish culture tank(s). observed Thev that proportional-integral (PI)feed-back control loop was able to automatically adjust the concentration of ozone (O_3) generated in the oxygen feed gas. Rizvi et.al carried out investigation on treatment of UASB treated municipal wastewater by H₂O₂, UV, ozone and advanced methods and their combination. ^[14] They found that the use of combined systems was promising due to synergistic effect and cost effectiveness.

Effects of ozone depletion and ultraviolet-B radiation increased on northern vegetation were studies by Biorn [15] et.al. They combined UV-B enhancement with changes in other factors such as carbon dioxide concentration, water availability. and temperature. According to them, indirect effects may take many years to be manifest as ecological dysfunction in Arctic ecosystems. Willekens et.al carried out an investigation on the expression of antioxidant genes in response to near ambient conditions of O, SO₂, and ultraviolet B (UV-B) in Nicotiana plumbaginifolia. ^[16] Bock et.al studied relation between erythemal UV dose, global solar radiation, total ozone column and aerosol optical depth. [17] They carried out their investigation at Uccle, Belgium. Simultaneous measurements of erythemal ultraviolet (UV) dose (Sery), global solar radiation (Sg), total ozone column (QO_3) and aerosol optical depth (at 320.1 nm) was available. They observed linear trends for the different monthly anomalies time series. Crozes et.al studied UV disinfection and ozone in water treatment. ^[18] Their studies outlined the benefits of using ozone and UV. According to these studies the synergies of these two treatment alternatives can be utilized to demonstrate the cost effectiveness and robustness. The combination resulted in 50% additional cost savings than ozone system alone.

Hussein et.al studied the effect of ozone gas and ultraviolet radiation and microwave on the degradation of aflatoxin [19] B1. They observed significant reduction in A. flavus growth between treated and non-treated cultures for all the agents. Matsumi et.al investigated the ultraviolet photolysis of ozone in production of O (^{1}D) . ^[20] Bustos et.al investigated UV radiation and ozonation as disinfection alternatives for the wastewater treatment plant. ^[21] They also evaluated the inactivation of total and fecal coliforms using ozone and ultraviolet radiation as separate treatments. They obtained 72% and 78% of fecal and total coliforms, respectively for ozone doses near 20 mg/min. They observed that the UV light offered a high bacterial inactivation (over Effects 80%). of ozonation on characteristics of aquatic fulvic acid were studied by Gul et.al. ^[22] They examined the influence of ozonation on the subsequent water treatment process such as flocculation and chlorination. They observed that the DOC concentration of

the 20 min ozonated FA samples was reduced only a small amount (5%). The reduction in DOC was 40% in the UV absorption process. Dahlback carried out global monitoring of atmospheric ozone and solar UV radiation. ^[23] Mainly Dobson and Brewer spectrophotometers were used for the monitoring. Ozone monitoring indicated a nearly linear downward trend from 1980 to mid 1990s. According to him; the existing time series for UV radiation are too short for estimations of global trends.

Summer felt introduced examples of current applications of ozonation and UV irradiation.^[24] He discussed aspects such as ozone transfer, Ozone disinfection and maintaining ozone residual, ozone toxicity and ozone destruction. They also discussed ozone irradiation. According to him, UV irradiation for disinfection can be both less costly and less complex than using ozone. In turbid water however UV irradiation can become ineffective. Sharrer and summer felt observed that ozonation followed by ultraviolet irradiation provides effective bacteria inactivation in a freshwater recirculating system. ^[25] The aim of their research was to evaluate the effectiveness of ozone application alone or application followed by ozone UV to reduce abundance of irradiation heterotrophic and total coliform bacteria in a water reuse system. They observed that combining ozonation and UV irradiation can effectively disinfect recirculating water before it returns to the fish culture tank(s).

In their investigation, Rozema et.al observed that enhanced UV-B radiation affects chemical quality and decomposition of leaves of the dune grassland species Calamagrostis epigejos. ^[26] They reported changes in the plant's chemical composition and the decomposition of this plant material under enhanced solar UV-B radiation. They observed change in the chemical quality of the leaves grown under enhanced solar UV-B accompanied by an increase in the leaf content of lignin. They observed that there were no significant changes in the content of cellulose, hemicelluloses and tannins.

CONCLUSION

investigators Many have investigated the ozonation and UV methods separately and in combination. UV irradiation is highly effective disinfection method. The combination of UV irradiation with ozonation is found to increase the effectiveness. It is also observed that two methods work synergically.

REFERENCES

- 1. Sunil Jayant Kulkarni, a Review on Packed Bed Removal of Organic Matter from Wastewater, Int. Journal on Scientific Research in Science, Engineering and Technology, 2015, 1, (2), 27-30.
- 2. R Kumaresan, N. Sundara Ramakrishnan and C. Premalatha, Aerobic Treatment of Distillerv Wastewater in а Three Phase Fluidized Bed Biofilm Reactor. International Journal of Chemical Engineering Research, 2009, 1(1), 13-20.
- Sonali R. Dhokpande, Sunil J. Kulkarni, Dr. Jayant P. Kaware, A Review On Research On Application Of Trickling Filters In Removal Of Various Pollutants From Effluent, International Journal Of Engineering Sciences & Research Technology, 2014, 3(7),359-365.
- 4. Pallavi Amale, Sunil Kulkarni, Kavita Kulkarni, A Review on Research for Industrial Wastewater Treatment with Special Emphasis on Distillery Effluent, International Journal of Ethics in Engineering & Management Education, 2014, 1(9), 1-4.
- Sunil J. Kulkarni, Removal Of Organic Matter From Domestic Waste Water By Adsorption, International Journal Of Science, Engineering And Technology Research, 2013, 2(10), 1836-1839.

- Sunil J. Kulkarni, Ajaygiri K. Goswami, Adsorption Studies for Organic Matter Removal from Wastewater by Using Bagasse Flyash in Batch and Column Operations, International Journal of Science and Research, 2013, 2(1), 180-183.
- Sunil J. Kulkarni, Suhas V Patil, and Y. P. Bhalerao, Flyash Adsorption Studies for Organic Matter Removal Accompanying Increase in Dissolved Oxygen, International Journal of Chemical Engineering and Applications, 2011, 2(6), 434-439.
- Madhura Chincholi, Priyanka Sagwekar, Charmi Nagaria, Sunil Kulkarni, Sonali Dhokpande, Removal of dye by adsorption on various adsorbents: A review, International Journal of Science, Engineering and Technology Research, 2014, 3(4), 835-840.
- Sunil J. Kulkarni, Ajaygiri K. Goswami, Applications and Advancements in Treatment of Waste Water by Membrane Technology- A Review, International Journal Of Engineering Sciences & Research Technology, 2014, 3(9), 446-450.
- Pawar Avinash Shivajirao, Treatment of Distillery Wastewater Using Membrane Technologies, International Journal of Advanced Engineering Research and Studies, 2012, 1(3), 275-283.
- Maria D. Romero-Sanchez, M. Mercedes Pastor-Blas, Jose Miguel Martin-Martinez, M.J. Walzak, Addition Of Ozone In The UV Radiation Treatment Of A Synthetic Styrene- Butadiene- Styrene (SBS) Rubber, International Journal of Adhesion & Adhesives, 2005, 25, 358–370.
- 12. Hemangi Kolte, Apeksha Walke, Deepali Nimbakar, Vikram Ghole, Combine Ozonation Treatment Followed by Biological Treatment to Anaerobically Digested Spentwash, 2014, 3(12), 1482-1486.
- 13. Steven T. Summerfelt, Mark J. Sharrer, Scott M. Tsukuda, Michael Gearheart, Process requirements for achieving full-flow disinfection of recirculating water using ozonation

and UV irradiation, Aquacultural Engineering, 2009, 40, 17–27.

- 14. Hina Rizvi, Nasir Ahmad, Abdullah Yasar, Kiran Bukhari, Hajira Khan, Disinfection of UASB Treated Wastewater by H₂O₂, UV, ozone, PAA, H₂O₂/sunlight and Advanced Oxidation Processes: Regrowth Potential of Pathogens, Pol. J. Environmental Stud., 2013, 22(4), 1153-1161.
- Lars Olof Bjorn, Terry V. Callaghan, Carola Gehrke, Dylan Gwynn-Jones, John A. Lee, Ulf Johanson, Mats Sonesson, Nicholas D. Buck, Effects Of Ozone Depletion And Increased Ultraviolet-B Radiation On Northern Vegetation, Polar Research, 1999, 18(2), 331-337.
- 16. Hilde Willekens, Wim Van Camp, Marc Van Montagu, Dirk Inze, Christian Langebartels, and Heinrich Sandermann, Jr., Ozone, Sulfur Dioxide, and Ultraviolet B Have Similar Effects on mRNA Accumulation of Antioxidant Genes in Nicotiana plumbaginifolia L., Plant Physiol., 1994, 106, 1007-1014.
- 17. V. De Bock, H. De Backer, R. Van Malderen, A. Mangold, and A. Delcloo, Relations between erythemal UV dose, Global Solar Radiation, Total Ozone Column And Aerosol Optical Depth At Uccle, Belgium, Atmos. Chem. Phys., 2014, 14, 12251–12270.
- 18. Gil Crozes, Robert Cushing, Jason Rennecker, Chris Cleveland, and Harold Wright, Synergies of UV Disinfection and Ozone in Water Treatment, 2003, International UV Association- Vienna, Austria, 1-5.
- Halima Z. Hussein, Riyam H. Tuama, Amna M. Ali, Study the Effect Of Ozone Gas and Ultraviolet Radiation and Microwave on the Degradation Of Aflatoxin B1 Produce By Aspergillus Flavus On Stored Maize Grains, IOSR Journal of Agriculture and Veterinary Science, 2015, 8(5), Ver. I, 05-12.
- Y. Matsumi, F. J. Comes, G. Hancock, A. Hofzumahaus, A. J. Hynes, M. Kawasaki and A. R. Ravishankara, Quantum yields for Production of O(1D) in the Ultraviolet Photolysis of

Ozone: Recommendation Based on Evaluation of Laboratory Data, Journal Of Geophysical Research, 2002, 107, 1-12.

- 21. Yaneth Bustos, Mabel Vacal, Raymundo López, Erick Bandala, Luis Torres, Neftalí Rojas-Valencia, Disinfection of Primary Municipal Wastewater Effluents Using Continuous UV and Ozone Treatment, Journal of Water Resource and Protection, 2014, 6, 16-21.
- 22. Sermin Gul, Effects of Ozonation on Characteristics of Aquatic Fulvic Acid, Turk J. Chem., 2002, 26, 287-293.
- 23. Arne Dahlback, Global Monitoring of Atmospheric Ozone and Solar UV Radiation, 2008, Editor: Espen Bjertness, Solar Radiation and Human Health, Oslo: The Norwegian Academy of Science and Letters, 2008, 23-34.

- 24. Steven T. Summerfelt, Ozonation and UV Irradiation /an Introduction and Examples of Current Applications, Aquacultural Engineering, 2003, 28, 21-36.
- 25. Mark J. Sharrer, Steven T. Summerfelt, Ozonation followed by ultraviolet irradiation provides effective bacteria inactivation in a freshwater recirculating system, Aquacultural Engineering, 2007, 37, 180–191.
- 26. Rozema J., Tosserams M., Nelissen H. J. M., Heerwaarden L., Broekman R. A., N. Flierman N., Stratospheric Ozone Reduction and Ecosystem Processes: Enhanced UV-B Radiation Affects Chemical Quality and Decomposition of Leaves of the Dune Grassland Species Calamagrostis Epigejos, Plant Ecology, 1997, 128, 285–294.

How to cite this article: Kulkarni SJ. A review on studies and research on applications of Ozonation and U.V. treatment with emphasis on water disinfection. Int J Res Rev. 2015; 2(12):764-768.

International Journal of Research & Review (IJRR)

Publish your research work in this journal

The International Journal of Research & Review (IJRR) is a multidisciplinary indexed open access double-blind peerreviewed international journal published by Galore Knowledge Publication Pvt. Ltd. This monthly journal is characterised by rapid publication of reviews, original research and case reports in all areas of research. The details of journal are available on its official website (www.gkpublication.in).

Submit your manuscript by email: gkpublication2014@gmail.com OR gkpublication2014@yahoo.com