The International Journal of Indian Psychology ISSN 2348-5396 (e) | ISSN: 2349-3429 (p)

Volume 3, Issue 2, No.4, DIP: 18.01.070/20160302

ISBN: 978-1-329-85570-0

http://www.ijip.in | January - March, 2016



Relationship between Spiritual Well-Being, Life Satisfaction and Depression: A Study of Middle Aged People

Dr. Humera Shafi¹, Nelofar Bashir², Usmat Yousuf³,

Sakeena Parveen³, Kulsum Akhter³

ABSTRACT

The aim of the present study was to study spiritual well-being, life satisfaction and depression among middle aged people. 100 middle aged persons were taken for the present study. The Spiritual wellbeing Scale (SWB) developed by Paloutzian and Ellison (1982), Life Satisfaction Scale by Singh and Joseph and Beck Depression Inventory (2nd edition, 1996) were used to examine spiritual well-being, life satisfaction and depression respectively. It was revealed from the study that out of 100 middle aged people, 79% showed average level, and 21% showed high level of spiritual well being. In terms of life satisfaction, of the total sample 43% fall in average level and 57% fall in high level of life satisfaction. Also it was found that out of the total sample 68% fall in the minimal level of depression, 16% fall in the mild level, 10% fall in the moderate level of depression and the remaining 6% of the sample fall in the severe level of depression. Further, results of the study revealed significant negative correlations of spiritual well being and life satisfaction with depression among middle aged people. Also significant positive correlation of spiritual well being with life satisfaction was found among them. Furthermore results did not reveal any significant differences for spiritual well-being, life satisfaction and depression among middle aged people as far as their gender is concerned.

Keywords: Spiritual well-being; Life Satisfaction; Depression.

Spirituality is also defined as an integral dimension of the health and well-being of every individual (Skokan & Bader, 2000). Spiritual well-being is an indication of an individual's quality of life in the spiritual dimension. According, to Fehring Miller, and Shaw (1997), spiritual well-being has two components: a vertical dimension that involves a relationship with a

¹ Sr. Assistant Professor, Department of Psychology, University of Kashmir, Srinagar, India

² Ph. D research scholar, Department of Psychology, University of Kashmir, Srinagar, India

³ PG students, Department of Psychology, University of Kashmir, Srinagar, India

^{*}Responding Author

^{© 2016} I H Shafi, N Bashir, U Yousuf, S Parveen, K Akhter; licensee IJIP. This is an Open Access Research distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/2.0), which permits unrestricted use, distribution, and reproduction in any Medium, provided the original work is properly cited.

higher being or God, and a horizontal dimension that involves a sense of purpose and meaning in life. Spiritual well-being is not synonymous with belief or practice in the particular aspects of a religion. Instead, it is an affirmation of life in a relationship with God, self, community, and environment. It nurtures wholeness (Blazer, 1991). Spiritual well-being is about our inner life and its relationship with the wider world. It includes our relationship with the environment; spiritual well-being does not just reflect religious beliefs although for people of a religious faith. It is considered to be a primary coping resource on the journey of recovery and healing. It can be practiced in numerous ways with its main purpose being to find purpose and meaning in life. Life-satisfaction is positively related to spiritual support and spiritual openness (Genia, and Cooke, (1998). The improvement in the practices of religion and spirituality will have the positive effect on both mental and physical health and is strongly associated with both life satisfaction and quality of life (Seybold, and Hill, 2001; Tate, and Forchheimer, 2002).

Life satisfaction is the way a person perceives how his or her life has been and how they feel about where it is going in the future. It is a measure of well-being and may be assessed in terms of mood, satisfaction with relations with others and with achieved goals, self-concepts, and selfperceived ability to cope with daily life. It is having a favorable attitude of one's life as a whole rather than their current feelings. Life satisfaction can reflect experiences that have affected a person in a positive way. These experiences have the ability to motivate people to pursue and reach their goals (Bailey, Eng, Frisch, & Snyder, 2007). It has been documented that lower life satisfaction met the criteria for life time major depression (Ragnhild, et al., 2012)

Depression is a state of low mood and aversion to activity that can affect a person's thoughts, behavior, feelings and sense of well-being (Salmans, 1997). Depressed people feel sad, anxious, empty, hopeless, worried, helpless, worthless, guilty, irritable, hurt, or restless. They may lose interest in activities that once were pleasurable, experience loss of appetite or overeating, have problems concentrating, remembering details, or making decisions, and may contemplate, attempt, or commit suicide. During stressful circumstances, religious involvements have more positive impact on mental health and are inversely related to depression and positively related to life satisfaction (Almedia, et al., 2006; Yoon, and Lee, 2007).

OBJECTIVES OF THE STUDY

For the purpose of the study following objectives have been formulated

- 1. To assess Spiritual well being, Life satisfaction and Depression among middle aged people.
- 2. To study the relationship between spiritual well being and life satisfaction among middle aged people.
- 3. To study the relationship between spiritual well being and depression among middle aged people.

- **4.** To study the relationship between life satisfaction and depression among middle aged people.
- 5. To study the significance of difference in relation with spiritual wellbeing, life satisfaction and depression among middle aged people with respect to their gender

Hypothesis

H₀₁ There is no significant relationship between spiritual well being and life satisfaction among middle aged people.

 \mathbf{H}_{02} There is no significant relationship between spiritual well being and depression among middle aged people.

 H_{03} There is no significant relationship between life satisfaction and depression among middle aged people.

 \mathbf{H}_{04} There will be no significant difference in spiritual well being of middle aged people as far as their gender is concerned.

 H_{05} There will be no significant difference in life satisfaction of middle aged people as far as their gender is concerned.

 \mathbf{H}_{06} There will be no significant difference in depression of middle aged people as far as their gender is concerned.

Sample

The study was conducted on a sample of 100 middle aged people

Demographic Variables		Number (N)	Total
Age	46- 65 years	100	100
Gender	Male	73	100
	Female	27	

Description Of Tools:

1) Spiritual well being Scale: The Spiritual wellbeing Scale (SWB) was used to gather data for the present study developed by Raymond, Paloutzian and Ellison (1982). The spiritual wellbeing scale (SWB) consist of 20 items, individually measured on a 6 – point likert scale, ranging from 'strongly agree' to 'strongly disagree'.

The spiritual wellbeing scale (SWB) includes following two subscales.

- A. Religious Wellbeing (RWB) 10 questions
- B. Existential Wellbeing (EWB) 10 questions
- 2) Life Satisfaction Scale: For measuring the life satisfaction of the subjects, Life Satisfaction Scale (L – S Scale) was used. The scale is developed by Singh and Joseph (1996). The scale consists of 35 items, individually rated on the five point scale- Always, Often, Sometimes, Seldom and Never. Its reliability and validity is adequate.

3) Becks Depression Inventory (2nd edition): The Scale (BDI- II) was developed by Beck, Steer and Brown (1996). It is a 21- item self report instrument for measuring the severity of depression. The BDI – II is scored by summing the ratings for 21 items, and each item is rated on a 4 –point scale ranging from 0 to 3.

Statistical Analysis:

In proposed study central tendencies, (mean, standard deviation), Pearson's correlation coefficient and T-test were used.

RESULTS AND INTERPRETATION:

Table 1 Showing percentage of spiritual wellbeing and life satisfaction among middle aged people across various levels

Levels	Spiritual Wellbeing		Life Satisfaction		
	N %age		N	%age	
Low	0	0%	0	0%	
Average	79	79%	43	43%	
High	21	21%	57	57%	

The above table 1 shows that out of total sample 0% fall at low level of spiritual wellbeing, 79% fall on Average level, and 21% fall at high level of spiritual wellbeing. In terms of life satisfaction, of the total sample population 0% fall at low level of life satisfaction, 43% fall at average level and 57% fall at high level of life satisfaction.

Table 2 Showing percentage of life satisfaction among middle aged people across various levels

Levels	Life Satisfaction		
	N	%age	
Low	0	0%	
Average	43	43%	
High	57	57%	

The above table 2 shows that out of the total sample 0% fall at low level of life satisfaction, 43% fall at average level and 57% fall at high level of life satisfaction.

Table 3 Showing percentage of depression among middle aged people across various levels

Levels	Depression		
	N	%age	
Minimal	68	68%	
Mild	16	16%	
Moderate	10	10%	
Severe	6	6%	

The above table 3 reveals that out of the total sample 68% fall in the minimal level of depression, 16% fall in the mild level of depression, 10% fall in the moderate level of depression and the remaining 6% of the sample fall in the severe level of depression.

Table 4 Showing Correlation between Spiritual wellbeing and Life satisfaction among middle aged people (N=100)

Variable	Life Satisfaction
Spiritual wellbeing	$r = -0.24^*$

^{*.} $P \le 0.05$ level of significance

The above table 4 shows the correlation coefficient between spiritual wellbeing and life satisfaction, that is 0.24. The correlation is positive and is significant at 0.05 level of significance. Hence our Hypothesis H_{01} is rejected

Table 5 Showing Correlation between Spiritual wellbeing, Life satisfaction and Depression among middle aged people (N=100)

Variable	Depression
Spiritual wellbeing	$r = -0.28^*$
Life Satisfaction	$r = -0.52^*$

^{*.} $P \le 0.05$ level of significance

The above table 5 indicates a negative correlation (-0.52) between spiritual wellbeing and life satisfaction and depression, which is significant at 0.05 level of significance. Hence our hypotheses, H_{02} and H_{03} are rejected.

Table 6 Showing Comparison of Mean Scores of Spiritual wellbeing as for as gender of middle aged people is concerned

Variable	Group	N	Mean	SD	Df	t-value
Spiritual	Male	73	89.45	10.40	98	0.92^{NS}
Wellbeing	Female	27	89.74	14.44		

^{*} $P \le 0.05$ level of significance

Table 6 shows that, there is insignificant difference in Spiritual Wellbeing as far as gender of middle aged people is concerned. Thus our null hypothesis H_{04} is accepted.

Table 7 Showing Comparison of Mean Scores of Life Satisfaction as for as gender of middle aged people is concerned

Variable	Group	N	Mean	SD	df	t-value
Life	Male	73	138.19	18.49	98	0.24^{NS}
Satisfaction	Female	27	133.52	17.18		

NS = Not Significant

Table 7 shows that, there is no significant difference on life satisfaction as far as gender, education and income of middle aged people is concerned. Thus our null hypothesis H₀₅ is accepted.

Table 8 Showing Comparison of Mean Scores of Depression as for as gender, education, age and income of middle aged people is concerned

Variable	Group	N	Mean	SD	df	t-value
Depression	Male	73	10.49	8.14	98	0.09^{NS}
	Female	27	14	9.17		

NS = Not Significant

Table 8 shows that, there is no significant difference on life satisfaction as far as gender, education, income and age of middle aged people is concerned. Thus our null hypothesis H₀₆ is accepted.

DISCUSSION

The present research endeavor was aimed to assess and to study the relationship between spiritual wellbeing, life satisfaction and depression among middle aged people. The study revealed that, 79% of the subjects fall in Average level, and 21% are in high level of spiritual well being, while as no subject fall in low level of spiritual well being.

Regarding life satisfaction it was found that, out of 100 middle aged people no one fall in low level of life satisfaction scale, 43% showed average level and 57% showed high level of life satisfaction.

Further, with respect to depression, it was found that out of 100 middle aged people 68% of people showed minimal level of depression, 16% of people showed mild level of depression, 10% showed moderate level of depression & 6% of people showed severe level of depression.

In addition, we also came to know that:

- The correlation of spiritual well being and depression among middle aged people was found to be significantly negative. This finding is consistent with the study conducted by Callen, et al. (2003).
- Significant negative correlation of life satisfaction with depression was found among

- middle aged people. This finding is consistent with the study conducted by Koivumaa, et al. (2012).
- Significant positive correlation of spiritual well being with life satisfaction was found among middle aged people. This finding is consistent with the study conducted by Esa, et al. (2010).
- Our results also revealed that there was insignificant difference in spiritual wellbeing, life satisfaction and depression among middle aged people as far their gender is concerned. This finding contradicts most of the studies which indicated that females tend to score higher on depression than males (Kessler, et al., 1994). A study that was conducted in Kashmir also revealed higher prevalence of depression among females (64.21%) than in males (68.64%) (Amin and Khan, 2009).

REFERENCES

- Almedia, A. M., Neto, F. L., & Koenig, H. G. (2006). Religiousness and mental health: a review, Revista Brasileira de Psiquiatria, 28(3), doi: 10.1590/S1516-44462006005000006.
- Amin, S. & Khan, A. W. (2009). Life in conflict: Characteristics of Depression in Kashmir. *International Journal of Health Sciences*, 3(2).
- Bailey, T., Eng, W., Frisch, M., & Snyder, C. R. (2007). Hope and optimism as related to life satisfaction. Journal of Positive Psychology, 2(3), 168-69.
- Beck, A. T., Steer, R. A., & Brown, G. K. (1996). Manual for Beck Depression Inventory (second edition). The psychological Corporation. Harcourt Brace and Company, San Antonio.
- Blazer, D., Bachar, J. R., Hughes, D. C. (1987). Major depression with melancholia: a comparison of middle-aged and elderly adults. J Am Geriatr Soc, 35, 927-32.
- Bufford, R. K., Paloutzian, R. F., & Ellison, C. W. (1991). Norms for the Spiritual Well-Being Scale. Journal of Psychology and Theology, 19(1), 1991, 56-70
- Callen, B. L., Mefford, L., Groër, M., & Thomas, S. (2011). Relationships among stress, infectious illnesses, and religiousness/spirituality in community dwelling elderly. *Research in Gerontological Nursing*, 4(3) 195-206.
- Fehring, R. J., Miller, J. F., & Shaw, C. (1997). Spiritual Well being, Religiosity, Hope Depression and other Mood States in Elderly People Coping with Cancer. Oncol Nurs forum, 24(4), 663–71
- Genia, V., & Cooke, B. A. (1998). Women at midlife: spiritual maturity and life satisfaction, Journal of Religion & Health, 37(2), 115-124.doi: 10.1023/A-1022926814751
- Jafaria, E., Dehshirib, G. E., Eskandarib, H., Najafic, M., Heshmatid, R., & Hoseinifarb, J. (2010). Spiritual well-being and mental health in university students. *Procedia Social* and Behavioral Sciences, 5, 1477–1481
- Kessler, R. C., Mc Gonagle, K. A., Zhao, S., Nelson, C. B., Hughes, M., Eshleman, S., Wittchen, H., & Kendler, K. S. (1994). Lifetime and 12-month prevalence of DSM-III-R psychiatric

- disorders in the United States: Results from the National Comorbidity Survey. Archives of General Psychiatry, 51, 8-19
- Koivumaa-Honkanen, H., Kaprio, J., Honkanen, R., Viinamäki, H., & Koskenvuo, M. (2004). Life satisfaction and depression in a 15-year follow-up of healthy adults. Soc Psychiatry Psychiatr Epidemiol, 13(12), 994–999.
- Ragnhild, B. N., Czajkowski, N. O., Roysamb, E., Orstavik, E. R, Tambs, K., & Kjennerud, T. R. (2012). Major depression and life satisfaction: A population based twin study, *Journal* of Affective Disorders.doi: 10.1016/j.jad.2012.05.060.
- Salmans, S. (1997). Depression: Questions You Have Answers You Need. People's Medical Society. ISBN 978-1-882606-14-6.
- Seligman, M. (2002). Positive emotions undo negative ones. Authentic Happiness. New York, New York: Simon & Schuster.
- Seybold, K. S., & Hill, P. C. (2001). The role of religion and spirituality in mental and physical health, Psychological Science, 10(1), 21-24.
- Shokan, L., & Bader, D.(2000). Spirituality and healing. *Health progress*, 81(1),38-42.
- Singh, P. & Joseph, G. (1996). Life Satisfaction Scale. Agra: National Psychological Corporation