REVIEW ARTICLE

www.ijapc.com

e-ISSN 2350-0204

A Review on Conceptual and Applied Aspect of Pramathi

Parashuram Pawar^{1*}, S.L. Dasari², Preeti S. Dasari³ and Sucheta P. Pawar⁴

Abstract

Narration of *Deepan Pachan paribhasha* is the unique identity of *Sharangdhara Samhita* and *Pramathi* is one of them. *Pramathi* means by virtue of specific cleansing properties/ potency some drugs expel out the accumulated *doshas* from the *strotasa*. It is the need of time to explore these *paribhasha* (pharmacological actions) theoretically as well as clinically. *Pramathi* drugs are having *teja* and *vayu mahabhoota* dominance in them so their action is carried out with the help of *laghu*, *rooksha*, *sookshma*, *teekshna*, *vishada guna*, *katu rasa*, *katu vipaka* and *ushna veerya*. In the treatment of *pureeshavegadharan Charaka* has mentioned *pramathi annapana* also, in *kshayaja kasa chikitsa*, soup of meat of *jangala* animals which is having *pramathi* properties is indicated. The references of indications of *maricha* and *vacha* as in *mookhdooshikahara lepa* and *pradhaman nasya* can be interpreted and correlated with the concept of *pramathi*. Clinically in such conditions where *doshas* or *aama* have created the obstruction in *strotasa* the *pramathi* drugs are the choice of drug for the treatment.

Keywords

Pramathi, maricha, vacha



Received 19/10/16 Accepted 02/11/16 Published 10/11/16

¹Department of Dravyaguna, PG studies, Shree Saptashrungi Ayurved Mahavidyalaya, Nashik, Maharashtra, India

²ASS, Ayurved Mahavidyalaya, Nashik. Maharashtra, India

³Department of Dravyaguna, Shree Saptshrungi Ayurved Mahavidyalaya, Nashik. Maharashtra, India

⁴Department of Rognidan, Shree Saptashrungi Ayurved Mahavidyalaya, Nashik.Maharashtra, India

INTRODUCTION

The pharmacology of Ayurved is mainly based on its fundamental principles. The action of drugs like deepan, pachan, lekhan, bruhan, are expressed in terms of their function in specific specific clinical conditions. Sharangdhara was the first who explained these terms with examples under the heading of 'paribhshsa' (pharmacological definitions). The aim of defining these terms was to explain specific karmas (functions) in specific pathological conditions and also to differentiate closely similar karma like stransan (laxative), rechan (cathartics), bhedan (purgatives) and anuloman (aperients)¹. Pramathi karma is one of them. Pramathi means the drugs which removes the accumulated doshas from the strotas (system) by their own specific action; for example maricha and vacha².

In clinical practice we need to use specific actions of particular drugs to relieve the *samprapti* (pathogenesis) of a disease. For this we must know such pharmacological actions comprehensively. Among the 23 *paribhashas* described by *sharangdhara* '*pramathi*' is one of them having clinical importance. The concept of *pramathi* is mainly recognized by the examples given in

definition i.e., *maricha* and *vacha*. Very few references are available regarding *pramathi* concept in *samhita* and other *granthas*. Also very few physicians apply the drugs like *maricha* (*Piper nigrum*) and *vacha* (*Acorus calamus*) according to their *pramathi* action or they are unknown about the specific conditions of using *pramathi* drugs.

The main aim of this article is to explore the concept of *pramathi*; search for scattered references of *prmathi* in *samhita* and other *granthas*. To form and correlate these links with each other. To clinically analyze their theoretical and clinical aspect and to highlight the specific clinical conditions of application of *pramathi* drugs on the basis of clinical evidences.

Basis of Panchamahabhautik dominance

According to the etymological derivation in *Vachaspatyam* the drugs predominantly and forcefully expelled the *doshas* by after churning them are pramathi³. *Vaidyaka shabda sindhu kosha* has more elaborated the definition. The *pamathi* drugs act by virtue of their *sookshma* (subtle) and *teekshna* (sharp/quick) properties; also expels the sticky *doshas* in *strotasa* by churning them and expands the lumen also⁴. *Vacha* and *maricha* are the examples given

of pramathi narrated by Sharangdhara. We can interpret the mechanism of action of pramathi on the basis of panchabhautika *siddhant*. Critically analyzing the etymology definition and of pramathi rasapanchaka of maricha and vacha we can make the inference that pramathi karma is having teja and vayu mahabhoota dominance. Tejasa dravyas are ushna (hot), teekshna (sharp), sookshma (minute), laghu (light), rooksha (rough), vishada (nonslimy) properties while vayu mahabhoota having laghu, sheeta (cold), vishada, rooksha. khara (coarse), sookshma properties⁵. We can interpret the action of pramathi on the basis of above gunas as in **Table no 1**. The *pramathi* action is carried out by the combined effect of teja and vayu mahabhoota gunas. Sushrutas quotation in (Su.Su. 46/515) supports above mention karma that various actions of dravyas are inferred by the different qualities in them⁶.

Basis of rasapanchaka siddhant

The drugs *maricha* and *vacha* both having *katu rasa, katu vipaka* and *ushna verya*. We can also interpret the action of *pramathi* on the basis of this *rasapanchaka* as in **Table no. 2**. *Aama* (indigested food product) creates *strotorodha*⁹ (obstruction in channels) also the *abhishyandi* drugs

(obstructants) by their *picchil* (unctuous), *guru* (heavy) properties block the strotas¹⁰. The *pramathi* drugs relieve the *strotorodha* means they must have *aamapachana* (digesting power) and *abhishyandahara* (obstruction reliving) properties. Thus by *panchabhautik* dominance and *rasapanchak* of *vacha* and *maricha* the action of *pramathi* is correlated.

Clinical application

Reviewing the Ayurvedic literature we found very few and scattered references regarding pramathi. In the treatment principle of pureeshvegadharan (holding the urge for Charaka mentioned defecation) has pramathi annapan. By virtue of their cleansing nature it clears the passage of their obstruction; here the *pramathi aahar* which is having teja and vayu mahabhoota dominance relives the obstruction pureeshavaha strotas¹¹. The *pramathi* annapan can be advised in pakwashaya shoola (lower abdomen pain), shirashoola (headache), malavashtambha (constipation), aadhman (flatulence) when these pathological conditions are formed due to pureeshavgadharan.

In the treatment of *kshayaja kasa* (cough due to wasting) *Acharya Charak*a has advised *pramathi aahara*.

Table 1 Action of Pramathi on the Basis of Mahabhoota Dominance.

Mahabhoota	Guna	Action (karma)	
	Laghu	Reduces <i>upalepa</i> (coating) in <i>strotasa</i> (channels), also reduces <i>parthiva ansha</i> (heaviness) in <i>strotasa</i> which have created <i>strotorodha</i> (obstruction)	
	Rooksha	Reduces excessive oiliness and <i>abhishyanda</i> (exudation) from <i>strotasa</i> and make them free.	
	Teekshna	Expels the waste forcibly from <i>strotasa</i> by their sharp or quick acting property.	
Teja + Vayu	Ushna	By its heating property it liquefies the <i>doshas</i> making favorable condition to expel out the waste.	
	sookshma	By its penetrating property it move inside minute channels (<i>sookshma strotasa</i>) and help to make the channels free from <i>doshas</i> .	
	Vishada	It purifies or clean the <i>strotasa</i> by its sucking property also reduces moistness in the <i>strotasa</i> .	
	khara	It reduces extra thickness or coating in the <i>strotasa</i> and make <i>strotasa</i> in normal state.	

Table 2 Action of *Pramathi* on the Basis of Rasapanchaka

Pramathi drugs	Rasapanchak	Action
Maricha and Vacha	Katu rasa	Kledamalan upahanti – help in the elimination of the waste products
		which are sticky in nature and produces the <i>oleation</i> .
		Bandhan chinattee – break the obstruction in strotasa.
		Margan vivrunoti – clarify or expand the passage ⁷ .
	Ushna veerya	Swedan and vilayan – The hot potency liquefies the doshas in strotas
	·	and make favorable condition for expultion ⁸ .

Here *Charaka* quotes that after the administration of *anuvasan* type of enema (oil enema), the patient should be given the soup of meat of animals and birds which are *jangals* (those living in thin forest), *vartaka* etc, those which are *bileshaya* (those living in burrows) and meat eating *prasahas* (those eating by snatching their food) seriatim. Because of their hot potency and *pramathi* attribute, these ingredients cause exudation of *kapha* accumulated in the channels of circulation. After the body is cleansed of this

aggravated *kapha*, these meat soups while flowing appropriately in the channels of circulation cause nourishment of tissue¹². The specialty of this treatment is that the opposite clinical condition is present here, i.e. the patient of *kshayaja kasa* having *strotorodha* by *kapha*. If we apply *bruhan* (nourishing) therapy for *kshayapradhan samprapti* (pathogenesis due to wasting) the *kapha* will vitiate leading to more *strotorodha* and *agnimandya* (anorexia). On the other hand if we apply *kaphaghna*

chikitsa for reliving strotorodha by kapha it will lead to dhatukshaya (wasting of dhatus). Considering both these facts Charaka has mentioned pramathi aahar which fulfills both the conditions as mentioned in the concept of shuddha (pure/appropriate) treatment treatment which alleviates or cures one disease or dosha and gives rise to another disease or dosha is not shuddha; a pure one is that which cures one and does not give rise to another¹³. The clinical application of above pramathi aahara reference is that in such condition where kshayapradhan samprapti and strotorodha by kapha or aama is present we can apply in that particular disease also.

The other reference of *pramathi* can be considered as indirect reference. As *Acharya Sharangdhara* has mentioned *maricha* and *vacha* as an examples of *pramathi*; the references where both these drugs are therapeutically used and the expected action is like *pramathi* can be interpreted as *pramathi* action.

Mukhadooshika chikitsa (Acne treatment): Acharya Sharangdhara has mentioned maricha and vacha as ingredients of mukhalepa (face paste) for the treatment of acne¹⁴. By applying fundamental

principles of Ayurveda the reason behind inclusion of vacha and maricha in mookhadooshikahara lepa (paste for acne) can be interpreted as – The adhishthana i.e. seat of mookhadooshika is twacha (skin) means rasavaha, raktawaha and masavaha strotasa. The samprapti (pathogenesis) of mookadooshika narrated by Sushruta is aggravated kapha, vata and rakta create pidika (eruption) resembling thorns of shalmali tree appear on the face of youths¹⁵. Aggravated kapha, rakta and vata are accumulated in *pidika* which also creates strotorodha. To expel out these doshas the lepa of maricha and vacha with lodhra (Symplocos racemosa) and dhanyaka (Coriandrum sativum) is applied over the pidika. The lepa dravyas by their potency penetrate and enter in the strotasa by their sookshma guna. By ushna, teekshna, vishada and rooksha guna they churn and irritate the local accumulated doshas in turn they are expelled out in the form of exudate by cracking the outer layer of skin. This way the *strotasa* is cleaned which in turn help for process) ropana kriya (healing and afterwards skin becomes normal.

Pradhamana nasya (nasal insufflation) – Acharya Sushruta has mentioned both maricha and vacha in shirovirechanopaga

gana (group of purgatives to the head). They are mainly used in the form of pradhamana nasya. The action of pradhamana nasya is different from other types. This type of nasya is used in the condition where excessive doshas are accumulated in shira (head) or pranavaha strotasa (respiratory tract). The fine powder of vacha or maricha is blowed/inhaled into the nose with the help of nadi yantra¹⁷ (tubular instrument). It enters into small channels of pranavaha strotasa by their sookshma guna; then by the ushna, teekshna, rooksha and vishad guna the accumulated doshas are expelled from the nostrils in the form of ksavathu (sneezing reflex). The same mechanism of action happens here by maricha and vacha which is described in the definition of pramathi. In other diseases like pravahika, peenasa, udavarta etc. where maricha or vacha is indicated in the same pathogenesis of accumulation of doshas the pramathi action can be interpreted.

such an action where the accumulated doshas are expelled out by virtue of their cleansing nature. Very few or scattered references are available in ayurvedic literature and electronic resources regarding pramathi action. In pureeshavegadharana and kshyaja kasa treatment pramathi annapana is indicated which helps to relieve the obstruction in that particular strotasa. Also from indirect references of therapeutic indications of maricha and vacha which are regarded as pramathi drugs by Sharangdhara; the mechanism of action of vacha and maricha in mookhadooshikahara lepa and pradhamana nasya can be correlated or linked with action of pramathi. This will help the researchers and physicians of Avurveda as broad spectrum application of concept of pramthi.

CONCLUSION

For the treatment of any disease it is important to know the exact *vyadhi avastha* (condition of disease), mode of pathogenesis, which help us to choose the perfect drug or formulation. *Pramathi* is

REFERENCES

- 1. K.R. Srikantha Murthy, Sharangdhara Samhita of Sharangdhara, Chaukhambha orientalia, Varanasi, 2nd edition, 2012, page 17.
- 2. K.R. Srikantha Murthy, Sharangdhara Samhita of Sharangdhara, prathama khanda 4/26, Chaukhambha orientalia,Varanasi,2nd edition, 2012, page 20.
- 3. Taranathtarkavachaspatibhattacharya, Vachaspatyam, vol 6, Chaukhambha sanskrut series office,Varanasi, 2nd edition, 2003, page 4476.
- 4. Kaviraja Umesha Chandra Gupta, Vaidyakashabdasindhukosha, Chaukhambha orientalia, Varanasi, 5th edition, 2005, page 705.
- 5. Priyvrat Sharma, Charaka Samhita of Charaka, sootrasthan, verse 26/11, vol 1, Chaukhambha orientalia, Varanasi, 9th edition, 2005, page 177.
- 6. K.R. Srikantha Murthy, Sushrut Samhita of Sushrut, sootrasthan, verse 46/514, vol 1, Chaukhambha orientalia, Varanasi, Reprint edition, 2014, page 453.
- 7. R. K. Sharma & Bhagvan Dash, Charaka Samhita of Charaka, sootrasthan, verse 26/42, Chaukhambha Sanskrit Series Office, Varanasi, Reprint 2015, page 468.

- 8. K .R. Srikantha Murthy, Ashtanga Sangraha of Vagbhata, sootrasthan, verse 17/22, vol 1, Chaukhambha Orientalia, Varanasi, Reprint edition 2012, page 325.
- 9. Ganesh Krishna Garde, Saartha Vagbhata by Vagbhata, sootrasthan, verse 13/23, Ragesh Prakashan, Pune, New edition 2009, page 61.
- 10. K .R .Srikantha Murthy, Sharangdhara Samhita of Sharangdhara, pratham khanda, verse 4/25, Chaukhambha Orientalia, Varanasi, Reprint edition 2012, page 20.
- 11. R. K. Sharma & Bhagavan Dash, Charaka Samhita of Charaka, sootrasthan, verse 7/9, vol 1, Chaukhambha Sanskrit Series Office, Varanasi, Reprint edition 2012, p 147.
- 12. R. K. Sharma & Bhagavan Dash, Charaka Samhita of Charaka, chikitsasthan, verse 18/56-57, vol 4, Chaukhambha Sanskrit Series Office, Varanasi, Reprint edition, page 193.
- 13. K. R. Srikantha Murthy, Ashtanga Hridaya of Vagbhata, sootrasthan, verse 13/66, vol 1, Chaukhambha Krishnadas Academy, Varanasi,10th edition, 2012, page 185.
- 14. K. R. Srikantha Murthy, Sharangdhara Samhita of Sharangdhara, uttara khanda,

- verse 11/11, Chaukhambha Oriantalia, Varanasi, Reprint edition 2012, page 237.
- 15. K. R. Srikantha Murthy, Sushrut Samhita of Sushrut, nidansthan, verse 13/39, vol 1, Chaukhambha Orientalia, Varanasi, Reprint edition 2014, page 550.
- 16. K. R. Srikantha Murthy, Sushrut Samhita of Susrut, sootrasthan, verse 39/6, vol 1, Chaumbha Orintelia, Varanasi, Reprint edition 2014, page 278.
- 17. Vasant C. Patil, Principles and Practice of Panchakarma, Chaukhambha publications, New Delhi, 5th edition, page 537.